




2023 PRODUCT GUIDE



INDEX

1. Units: Specifications & Pricing	
Touch-Up Applications	p. 6 - 7
Fine Finish Applications	p. 8 - 11
Professional Airless Applications	p. 12 - 19
Texture Applications	p. 20 - 29
Heavy Duty Applications	p. 30 - 35
Professional Cleaning Applications	p. 36 - 41
Pavement & Marking	p. 42 - 47
Surface Preparation	p. 48- 49
2. Accessories: Specifications & Pricing	
Touch-Up Applications	p. 52 - 53
Fine Finish Applications	p. 54 - 59
Professional Airless Applications	p. 60 - 81
Texture Applications	p. 82 - 89
Heavy Duty Applications	p. 90 - 91
Professional Cleaning Applications	p. 92 - 93
General Parts	p. 94 - 95
3. Tips: Specifications & Pricing	
Tip Selection Guide	p. 98 - 101
Fine Finish Low Pressure Tips	p.102 - 103
Rac® X Tips	p.104 - 105
Flat Tips	p.106 - 107
Airless Tips	p. 108
Cleaning Tips	p. 109
4. Warranty	
Warranty overview	p.112 - 113
5. Support Material	
Commercial literature & service support	p.116 - 117



SERIES

A12A

MAX bar (mpa) 227

24 L


AMPS 16

IP20

HZ 50/60

U.S.A

MADE IN



Label No.

UNITS

SPECIFICATIONS & PRICING

The ultimate quick reference overview!

Compare technical specifications, technologies featured
as well as the actual composition list of all products
within a certain application group - all in 1 table!

SPECIFICATIONS & PRICING

TOUCH-UP

ULTRA®
AIRLESS
HANDHELD AC

ULTRA®
AIRLESS
HANDHELD DC

ULTRAMAX AIR-
LESS
HANDHELD DC



SPECIFICATIONS			
Part Numbers: EU, IT, DK, CH - 230V	17M360	17M366	17P258
Part Numbers: UK - 230V	25M616	25M615	25M614
Max. Tip Size	0.016"	0.016"	0.016"
Motor	AC	DC	DC Brushless
Max. pressure - bar (PSI)	138 (2000)	138 (2000)	138 (2000)
Weight - kg (lbs)	2.1 (4.6)	2.4 (5.3)	2.4 (5.3)
FEATURES			
Material and Solvent compatibility	Waterbased	Waterbased	■*
Repairable	■	■	■
SmartControl™	■	■	■
Speed Selector	ProControl™ II	ProControl™ II	ProControl™ II
Suction system	Vacuum	Vacuum	Vacuum
Cup system	Throw-away	Throw-away	Throw-away
COMPOSITION			
Tips	FFLP410 + FFLP514		
Guard	RAC X™ - 246215		RAC X™ - 17P573
Inlet filter (mesh)	60 + 100		
Power supply	3m power cable	2 x 18V DEWALT® battery**	
Battery charger		■	■
Cup + lid	1 L (1 cup, 1 lid)		
Cup liners	4		
Storage bag/case	Bag		
BRIDGEWARE			
	344104	344104	344104

* Compatible with "flammables" and "hot" solvents, see operating manual for detailed list of compatible cleaning fluids

** DEWALT® and the DEWALT Logo are trademarks of DEWALT Industrial Tool Co. and are used under licence.

BROCHURE

* Compatible with "flammables" and "hot" solvents, see operating manual for detailed list of compatible cleaning fluids

** DEWALT® and the DEWALT Logo are trademarks of DEWALT Industrial Tool Co. and are used under licence.



SPECIFICATIONS & PRICING

FINE FINISH - 1

HVLP™ STANDARD

9.0



HVLP™ PROCONTRACTOR

7.0

9.5



SPECIFICATIONS			
Part numbers: EU - 230V	17P529	17P530	17P532
Part numbers: IT, DK, CH, UK - 230V	17P535	17P536	17P538
Part numbers: UK - 110V	-	-	17T982
Turbine stages	4	3	5
Max. air working pressure - bar (PSI)	0.6 (9)	0.5 (7)	0.7 (9.5)
Weight - kg (lbs)	14 (30.8)	18 (39.7)	19 (41.9)
FEATURES			
TurboForce™ II technology	■	■	■
SmartStart		■	■
TCS System	■	■	■
Quick release needle	■	■	■
Flex Liner™ System	■	■	■
Air flow control at the gun	Preset ratio	■	■
Material volume control at the gun	■	■	■
Spray fan size control at the gun	■	■	■
Needle nozzle storage		■	■
Washable air filtration	Foam	Automotive	Automotive
COMPOSITION			
Needle nozzle-kit	#3	#3	#3, #4, #5
Gun	EDGE® II	EDGE® II Plus	
Hose	Super-Flex™ Air 6M - 17R300	Super-Flex™ Air 9M - 257159	
Whip hose		Super-Flex™ Air 1.2M - 17R299	
Gun docking station		■	
BROCHURE			
	300744	300744	300744

BROCHURE

HVLP™ PROCOMP

9.5



	17P533
	17P539
	-
	5
	0.7 (9.5)
	23 (50.7)
	■
	■
	■
	■
	Remote Cup
	■
	■
	■
	■
	Automotive
	#3, #4, #5
	EDGE® II Plus
	Super-Flex™ Air 9M - 257159
	Super-Flex™ Air 1.2M - 17R299
	■
	300744

SPECIFICATIONS & PRICING

FINE FINISH - 2

FINISHPRO™ II

395 PC

595 PC PRO



SPECIFICATIONS		
Part numbers: EU - 230V	17C418	17E912
Part Numbers: IT, DK, CH - 230V	17C421	17E913
Part Numbers: UK - 110V	17C320	-
Max. tip size: 1 gun	0.023"	0.027"
Max. flow - l/min. (gpm)	2.0 (0.54)	2.6 (0.68)
Max. pressure - bar (PSI)	227 (3300)	227 (3300)
Motor rating - kW (HP)	0.65 (0.875) TEFC Brush DC	1.19 (1.6) Brushless DC
Turbine / compressor l/min. (cfm)	2.0 (0.47)	2.7 (0.7)
Max. air working pressure - bar (PSI)	2.4 (35)	2.4 (35)
Weight - kg (lbs)	50 (110)	51 (112)
FEATURES		
LED Display		■
SmartControl™	1.0	3.0
Air pressure gauge	■	■
FastFlush™		■
ProGuard™		■
Endurance™ Pump	■	■
ProConnect™	■	■
SmartComp™	■	■
Hose Rack	■	■
TiltBack™		■
COMPOSITION		
Tips	FFLP210 + LTX517 + AAM309	
Flat to RAC® conversion kit	■	
Gun filter (mesh)	100 - 224453	
Pump filter (mesh)	Easy Out™ 100 - 246382	
Gun	G40 - 262932	
Hose	Super-Flex Fluid+ Air; Hose (7.5M) + Whip (2M) 24U578; Hose protector 24U576	Super-Flex™ Fluid + Air; Hose (15M)+ Whip (2M) 24U579; Hose protector 24U577
Whip hose		
Toolbox	■	
Tools	■*	
BROCHURE		
	320599	320599

* Adjustable wrench 111733, 118 ml TSL™ 238049

BROCHURE

* Adjustable wrench 111733, 118 ml TSL™ 238049



SPECIFICATIONS & PRICING

PROFESSIONAL AIRLESS - 1



	GX™			
	FF	FF Cordless	21	21 Cordless
SPECIFICATIONS				
Part numbers: EU - 230V	17G184	25U466	17G183	25T967
Part numbers: IT, DK, CH, UK - 230V	17H222		17H218	
Part Numbers: UK Only - 230V		25U570		25T973
Max. tip size: 1 gun	0.019"	0.019"	0.021"	0.021"
Max. flow - l/min (gpm)	1.5 (0.38)	1.5 (0.38)	1.8 (0.47)	1.8 (0.47)
Max. pressure - bar (PSI)	207 (3000)	207 (3000)	207 (3000)	207 (3000)
Weight - kg (lbs)	14.1 (31)	15.9 (35)	13.2 (29)	14.1 (31)
FEATURES				
Frame	Stand with hopper	Stand with hopper	Direct Immersion	Direct Immersion
Suction System	5.7 L Hopper	5.7 L Hopper	Suction Tube	Suction Tube
Ball Knocker - PushPrime™	■	■	■	■
Hydraulic Pressure Gauge	■	■	■	■
ProXChange™ Pump System	■	■	■	■
COMPOSITION				
Tips	FFLP210	FFLP210	LP517 + FFLP310	LP517 + FFLP310
Guard	RAC X™ - 246215			
Gun filter (mesh)	Easy Out™ 100 - 287033	Easy Out™ Compact 100 - 19Y356	Easy Out™ 50 - 218131	Easy Out™ 50 - 218131
Gun	FTx™-E, 2-finger - 17J261	Compact™ PC Compact 19Y350	SG3™, 4-finger - 17J910	SG3™, 4-finger - 17J910
Pump filter (mesh)			40 - 257094	40 - 257094
Hose	Blue Max™ II 3/16" x 7.5m - 214698	Bluemax II 3/16" x 7.5m - 214698	DuraFlex™ 1/4" x 15m - 247340	DuraFlex™ 1/4" x 15m - 247340
Power supply	2m power cable	2 x 54V DeWalt® FlexVolt 6.0 Ah battery	2m power cable	2 x 54V DeWalt® FlexVolt 6.0 Ah battery
Battery charger		DeWalt® Fan-cooled fast charger		DeWalt® Fan-cooled fast charger
Tools	Built-in pump removal tool			
BROCHURE	300735			

BROCHURE



SPECIFICATIONS & PRICING

PROFESSIONAL AIRLESS - 2

CLASSIC

390 PC Stand

390 PC Cordless

390 PC Hi Boy

S 395 PC Stand



SPECIFICATIONS				
Part numbers: EU - 230V	17C348	25T943	17C349	17C361
Part numbers: IT, DK, CH - 230V	17C346		17C351	-
Part numbers: UK - 110V	17C347		-	17C359
Part Numbers: UK - 230V		25T943		
Max. tip size: 1 gun	0.021"	0.021"	0.021"	0.023"
Max. flow - l/min (gpm)	1.8 (0.47)	1.8 (0.47)	1.8 (0.47)	2.0 (0.54)
Max. pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
Motor rating - kW (hp)	0.46 (0.625) DC	0.46 (0.625) Brushless DC	0.46 (0.625) DC	0.65 (0.875) TEFC DC
Weight - kg (lbs)	14 (30)	15 (33)	31 (69)	19 (42)
FEATURES				
SmartControl™				1.0
Hydraulic Pressure Gauge	■	■	■	■
FastFlush™				
ProGuard™				
Endurance™ Pump	■	■	■	■
ProConnect™	■	■	■	■
TiltBack™			■	
Hose rack			■	
COMPOSITION				
Tips	LP517			
Guard	RACT™ X - 246215			
Gun filter (mesh)	Easy Out™ 60 - 287032			
Gun	FTx™-E, 4-finger - 288438			
Hose	Blue Max™ II 1/4" x 15m - 240794			
Power supply	3m power cable	2 x 54V DeWalt® FlexVolt 6.0 Ah battery	3m power cable	3m power cable
Battery charger		DeWalt® Fan-cooled fast charger		
Toolbox			■	
Tools	■	■	■	■
BROCHURE	300733	300733	300733	300733

BROCHURE

* Gun Tool 15F446, adjustable wrench 111733, 118 ml TSL™ 238049

CLASSIC

S 495 PC Hi Boy



	17E025
	17E026
	-
	0.025"
	2.3 (0.60)
	227 (3300)
	0.74 (1.0) TEFC DC
	33 (73)
	1.0
	■
	■
	■
	■
	■
	LP517
	RAC™ X - 246215
	Easy Out™ 60 - 287032
	FTx™-E 4-finger - 288438
	Blue Max™ II 1/4" x 15m - 240794
	3m power cable
	■
	■
	300733



SPECIFICATIONS & PRICING

PROFESSIONAL AIRLESS - 2

ST MAX™ II

395 PC PRO Stand

395 PC PRO Hi Boy

495 PC PRO Stand

495 PC PRO Hi Boy



SPECIFICATIONS				
Part numbers: EU - 230V	17E864	17E865	17E871	17E874
Part numbers: IT, DK, CH - 230V	-	-	17E872	17E875
Part numbers: UK - 110V	-	-	17E873	17E870
Max. tip size: 1 gun	0.023"	0.023"	0.025"	0.025"
Max. flow - l/min (gpm)	2.0 (0.54)	2.0 (0.54)	2.3 (0.60)	2.3 (0.60)
Max. pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
Motor rating - kW (hp)	0.74 (1.0) Brushless DC	0.74 (1.0) Brushless DC	0.89 (1.2) Brushless DC	0.89 (1.2) Brushless DC
Weight - kg (lbs)	14 (30)	30 (66)	15 (34)	30 (66)
FEATURES				
LED Display	■	■	■	■
SmartControl™	3.0	3.0	3.0	3.0
FastFlush™	■	■	■	■
ProGuard™	■	■	■	■
Endurance™ Pump	■	■	■	■
ProConnect™	■	■	■	■
TiltBack™		■		■
Hose rack		■		■
COMPOSITION				
Tips	LP517			
Guard	RAC X™ - 246215			
Gun filter (mesh)	Easy Out™ 60 - 287032			
Gun	Contractor™ PC - 17Y043			
Hose	Blue Max™ II 1/4" x 15m - 240794			
Toolbox		■		■
Tools	■*	■*	■*	■*
BROCHURE	320580	320580	320580	320580

* Gun Tool 15F446, adjustable wrench 111733, 118 ml TSL™ 238049

BROCHURE

* Gun Tool 15F446, adjustable wrench 111733, 118 ml TSL™ 238049

ST MAX™ II

595 PC PRO Hi Boy



17E876
17E877
17E878
0.027"
2.6 (0.68)
227 (3300)
1.19 (1.6) Brushless DC
33 (73)
■
3.0
■
■
■
■
■
■
LP517
RAC X™ - 246215
Easy Out™ 60 - 287032
Contractor™ PC - 17Y043
Blue Max™ II 1/4" x 15m - 240794
■
■*
320580



SPECIFICATIONS & PRICING

PROFESSIONAL AIRLESS - 3

ULTRA® MAX II STANDARD

695

795

1095



SPECIFICATIONS	695	795	1095
Part numbers: EU - 230V	17E632	17E639	17E646
Part numbers: IT, DK, CH - 230V	17E633	17E640	-
Part numbers: UK - 110V	17E634	17E641	-
Max. tip size: 1 gun	0.031"	0.033"	0.035"
Max. tip size: 2 guns	0.023"	0.025"	0.027"
Max. flow - l/min (gpm)	3.6 (0.95)	4.1 (1.1)	4.5 (1.2)
Max. pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)
Motor rating - kW (HP)	1.3 (1.75)	1.5 (2.0)	1.65 (2.2)
Temperature setting			
Weight - kg (lbs)	43 (94)	45 (98)	52 (115)
FEATURES			
BlueLink™	■	■	■
SmartControl™ with ProGuard™	4.0	4.0	4.0
LED display			
Hydraulic Pressure Gauge	■	■	■
FastFlush™	■	■	■
WatchDog™	■	■	■
Endurance™ Pump	■	■	■
ProConnect™			
Piston Rod	Chromex	Chromex	Chromex
Sleeve	Hard Chrome	Hard Chrome	Hard Chrome
Rock Catcher	Standard	Standard	Standard
TiltBack™	■	■	■
QuickReel™			
Flat-Proof Tires			
COMPOSITION			
Tips	LP517 + LP621		
Guard	RAC X™ - 246215		
Gun	Contractor™ PC - 17Y043		
Gun filter (mesh)	Easy Out™ 60 - 287032		
Hose	Blue Max™ II 1/4" x 15m - 240794		
Whip hose			
Tools		■*	
BROCHURE	300713	300713	300713

*Gun tool 15F446, adjustable wrench 111733, 118 ml TSL™ 238049

BROCHURE

*Gun tool 15F446, adjustable wrench 111733, 118 ml TSL™ 238049

ULTRA® MAX II PROCONTRACTOR			ULTRA® MAX II IRONMAN	°C-MAX™	
695	795	1095	1095	1513	3023
17E635	17E642	17E647	17E650	24E656	24E657
17E636	17E643	17E648	-	-	-
17E637	17E644	-	-	-	-
0.031"	0.033"	0.035"	0.035"	0.013"	0.023"
0.023"	0.025"	0.027"	0.027"		
3.6 (0.95)	4.1 (1.1)	4.5 (1.2)	4.5 (1.2)		
227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
1.3 (1.75)	1.5 (2.0)	1.65 (2.2)	1.65 (2.2)	1500 W	2100 W
				Max: 60°C Standard: 30°C	Max: 60°C Standard: 45°C
50 (111)	52 (115)	59 (131)	55 (120)	2 (4.4)	3 (6.6)
■	■	■	■		
4.0	4.0	4.0	4.0		
■	■	■	■		
■	■	■	■		
■	■	■	■		
Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex		
■	■	■	■		
MaxLife™	MaxLife™	MaxLife™	MaxLife Extreme™		
MaxLife™	MaxLife™	MaxLife™	MaxLife™		
CrushProof	CrushProof	CrushProof	CrushProof		
■	■	■	■		
■	■	■	■		
		■	■		
LP517 + LP621			LP517 + LP621		
RAC X™ - 246215			RAC X™ - 246215		
Contractor™ PC - 17Y043			Contractor™ PC - 17Y043		
Easy Out™ 60 - 287032			Easy Out™ 60 - 287032		
Blue Max™ II 1/4" x 15m - 240794			Blue Max™ II 1/4" x 15m - 240794	°C-Max™ 1/4" X 15M	°C-Max™ 3/8" X 30M
	■				
	■*		■*		
300713	300713	300713	300713	300696	300696

SPECIFICATIONS & PRICING

TEXTURE - 1

MARK HD 3-IN-1 STANDARD

MARK IV HD

MARK V HD

MARK VII HD

MARK X HD



SPECIFICATIONS	MARK IV HD	MARK V HD	MARK VII HD	MARK X HD
Part numbers: EU - 230V	17E651	17E655	17E665	17E669
Part numbers: IT, DK, CH - 230V	17E652	-	17E666	17E670
Part numbers: UK - 110 V	-	17E659	-	-
Max. tip size - 230V	Paint 0.031" Plaster 0.033"	Paint 0.035" Plaster 0.037"	Paint 0.041" Plaster 0.047"	Paint 0.045" Plaster 0.051"
Max. tip size - 110V		Paint 0.039" Plaster 0.041"		
Max. flow - l/min (gpm) * - 230V	3.6 (0.95)	4.3 (1.2)	6.0 (1.6)	8.3 (2.2)
Max. flow - l/min (gpm) * - 110V		5.1 (1.35)		
Max. pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
Motor rating - kW - (HP) - 230V	1.5 (2.0)	1.65 (2.2)	1.9 (2.5)	3.0(4.0)
Motor rating - kW - (HP) - 110V		2.0 (2.8)		
Weight - kg (lbs)	46 (101)	57 (125)	60 (132)	68 (150)
FEATURES				
BlueLink™	■	■	■	■
SmartControl™ with ProGuard™	4.0	4.0	4.0	4.0
LED Display				
Hydraulic Pressure Gauge	■	■	■	■
FastFlush™	■	■	■	■
Watchdog™	■	■	■	■
Endurance™ Pump	■	■	■	■
ProConnect™				
Piston Rod	Hard Chrome	Hard Chrome	Hard Chrome	Hard Chrome
Sleeve	Hard Chrome	Hard Chrome	Hard Chrome	Hard Chrome
MaxFlo 2	■	■	■	■
Rock Catcher	Standard	Standard	Standard	Standard
TiltBack™	■	■	■	■
QuickReel™				
Flat-Proof Tires				
COMPOSITION				
Tips	PAA425	HDA427 + HDA531	HDA531 + 541	
Guard	RAC X™ - 246215			
Gun	Flex Plus - 246468	HD Blue Texture - 289605		HD Inline Texture - 245820
Hose	Blue Max™ II 3/8" x 15m - 240797		Blue Max™ II 1/2" x 15m - 278499	
Whip hose	Blue Max™ II 1/4" x 0.9m - 277249		Blue Max™ II 3/8" x 3.5m - 191239	
Tools	■**			
BRIDGE	300716	300716	300716	300716

* Flow rates vary with different plasters. Smaller ID ceramic balls provide higher flow with plaster than SST balls with paint.

** Gun tool 15F446, adjustable wrench 111733, 118 ml TSL™ 238049

BROCHURE

* Flow rates vary with different plasters. Smaller ID ceramic balls provide higher flow with plaster than SST balls with paint.

** Gun tool 15F446, adjustable wrench 111733, 118 ml TSL™ 238049

MARK HD 3-IN-1 PROCONTRACTOR

MARK HD 3-IN-1 IRONMAN

MARK IV HD

MARK V HD

MARK VII HD

MARK X HD

MARK V HD

MARK VII HD

MARK X HD



MARK HD 3-IN-1 PROCONTRACTOR				MARK HD 3-IN-1 IRONMAN		
MARK IV HD	MARK V HD	MARK VII HD	MARK X HD	MARK V HD	MARK VII HD	MARK X HD
17E653	17E660	17E667	17E671	17E664	17H895	17H897
17E654	17E661	17E668	17E672	-	17H896	17H898
-	17E662	-	-	-	-	-
Paint 0.031" Plaster 0.033"	Paint 0.035" Plaster 0.037" Paint 0.039" Plaster 0.041"	Paint 0.041" Plaster 0.047"	Paint 0.045" Plaster 0.051"	Paint 0.035" Plaster 0.037"	Paint 0.041" Plaster 0.047"	Paint 0.045" Plaster 0.051"
3.6 (0.95)	4.3 (1.2) 5.1 (1.35)	6.0 (1.6)	8.3 (2.2)	3.6 (0.95)	6.0 (1.6)	8.3 (2.2)
227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
1.5 (2.0)	1.65 (2.2) 2.0 (2.8)	1.9 (2.5)	3.0(4.0)	1.65 (2.22)	1.9 (2.5)	3.0 (4.0)
53 (117)	64 (141)	67 (148)	75 (166)	59 (129)	62 (136)	70 (154)
■	■	■	■	■	■	■
4.0	4.0	4.0	4.0	4.0	4.0	4.0
■	■	■	■	■	■	■
■	■	■	■	■	■	■
■	■	■	■	■	■	■
Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex
2.0	2.0	2.0	2.0	2.0	2.0	2.0
MaxLife™	MaxLife™	MaxLife™	MaxLife™	MaxLife Extreme™	MaxLife Extreme™	MaxLife Extreme™
MaxLife™	MaxLife™	MaxLife™	MaxLife™	MaxLife™	MaxLife™	MaxLife™
■	■	■	■	■	■	■
CrushProof	CrushProof	CrushProof	CrushProof	CrushProof	CrushProof	CrushProof
■	■	■	■	■	■	■
■	■	■	■	■	■	■
PAA425	HDA427 + HDA531	HDA531 + 541		HDA427 + HDA531	HDA531 + HDA541	
RAC X™ - 246215				RAC X™ - 246215		
Flex Plus - 246468	HD Blue Texture - 289605		HD Inline Texture - 245820	HD Blue Texture - 289605		HD Inline Texture - 245820
Blue Max™ II 3/8" x 15m - 240797		Blue Max™ II 1/2" x 15m - 278499		Blue Max™ II 3/8" x 15m - 240797		Blue Max™ II 1/2" x 15m - 278499
Blue Max™ II 1/4" x 0.9m - 277249		Blue Max™ II 3/8" x 3.5m - 191239		Blue Max™ II 1/4" x 0.9m - 277249		Blue Max™ II 3/8" x 3.5m - 191239
■**		■**		■**		■**
300716	300716	300716	300716	300716	300716	300716

SPECIFICATIONS & PRICING

TEXTURE - 2

T-MAX™ AIRLESS

506

657

6912



SPECIFICATIONS			
Part Numbers: EU - 230V	17X980	17X983	17X986
Part Numbers: IT, DK, CH - 230V	17X981	17X984	17X987
Part Numbers: UK - 110V	17X982	17X985	17X988
Max. Tip Size	Plaster 0.051"	Plaster 0.061"	Plaster 0.071"
Max. flow - l/min (gpm)	6.4 (1.7)	7.2 (1.9)	12 (3.17)
Max. Pressure - bar (PSI)	50 (730)	65 (940)	69 (1000)
Motor rating - kW (HP)	0.9 (1.2)	0.9 (1.2)	2 (2.8)
Compressor l/min	External Compressor		
Weight - kg (lbs)	71 (156)	73 (160)	86 (190)
FEATURES			
SmartControl™	■	■	■
LED Display			■
Flow / Pressure Selector	Integrated	Integrated	■
Pump Shutoff at gun			Optional
Hopper	4 bags	6 bags	6 bags
Endurance™ Pump	■	■	■
Piston Packing	Single Packing	Single Packing	V-Packing
Modular Split Frame	■	■	■
Bag Roller	Optional	Optional	Optional
Vibra-Flo™ Shaker	Optional	Optional	Optional
COMPOSITION			
Tips	HDA651	HDA651 + HDA655	HDA651 + HDA655
WideTex Tips			
Nozzles			
Guard	RAC X™ - 246215		
Gun	T-Max™ Lance - 17Z054		
Hose	1" x 5m - 289960	1" x 10m - 289961	1" x 5m - 289960 1" x 10m - 289961
Whip hose	3/4" x 3m - 289959		
Toolbox	■		
Tools	Scraper - 19A646		
BROCHURE	320596	320596	320596

BROCHURE

T-MAX™ AIR-ASSISTED

6912

6912

T-MAX™ AIRLESS/AIR ASSISTED

6912

6912



17X990	17X993	17Z285	17Z288
17X991	17X994	17Z286	17Z289
17X992	17Z282	17Z287	17Z290
Plaster 0.071"	Plaster 0.071"	Plaster 0.071"	Plaster 0.071"
12 (3.17)	12 (3.17)	12 (3.17)	12 (3.17)
69 (1000)	69 (1000)	69 (1000)	69 (1000)
2 (2.8)	2 (2.8)	2 (2.8)	2 (2.8)
External Compressor		External Compressor	
86 (190)	86 (190)	86 (190)	86 (190)
■	■	■	■
■	■	■	■
■	■	■	■
Remote Switch	Built in to STX™ gun	Remote Switch	Built in to STX™ gun
6 bags	6 bags	6 bags	6 bags
■	■	■	■
V-Packing	V-Packing	V-Packing	V-Packing
■	■	■	■
Optional	Optional	Optional	Optional
Optional	Optional	Optional	Optional
		HDA651 + HDA655	HDA651 + HDA655
W4H, W6H, W8H, W10H, W12H, WXLH		W4H, W6H, W8H, W10H, W12H, WXLH	
4mm, 6mm, 8mm, 10mm	4mm, 6mm, 8mm, 10mm, 12mm	4mm, 6mm, 8mm, 10mm	4mm, 6mm, 8mm, 10mm, 12mm
		RAC X™ - 246215	
FreeFlo™ - 17Z128	STX™ - 17Y910	T-Max™ Lance - 17Z054 FreeFlo™ - 17Z128	T-Max™ Lance - 17Z054 STX™ - 17Y910
1" x 5m - 289960		1" x 5m - 289960	
1" x 10m - 289961		1" x 10m - 289961	
3/4" x 3m - 289959		3/4" x 3m - 289959	
■		■	
Scraper - 19A646		Scraper - 19A646	
320596	320596	320596	320596

SPECIFICATIONS & PRICING

TEXTURE - 3

RTX™

5500 PI

5500 PX



SPECIFICATIONS		
Part Numbers: EU, IT, DK, CH, UK - 230V	17H577	17H580
Max. Flow - l/min (gpm)	21 (5.5)	21 (5.5)
Max. Pressure - bar (PSI)	7 (100)	7 (100)
Motor rating - kW (HP)	1.5 (2.0) - Brushless MaxPower™	
Compressor l/min	257	257
Max. Air Working Pressure - bar (PSI)	3.5 (50)	3.5 (50)
Weight - kg (lbs)	74.4 (164)	78.9 (174)
FEATURES		
Pump	RotoFlex™ II	RotoFlex™ II
External Air Kit		■
Hopper	57L	57L
Pressure Gauge	■	■
ProGuard™	■	■
COMPOSITION		
WideTex Tips	4mm, 6mm, 8mm, 10mm, 12mm	4mm, 6mm, 8mm, 10mm, 12mm (Hardened)
Nozzles	3mm, 4mm, 6mm, 8mm, 10mm, 12mm	
Gun	Air Spray Trigger gun - 24S135	
Hose	Transparent 1" x 7.5m - 17J420	Heavy Duty 1-1/4" x 7.5m - 17L005
Toolbox	■	
BROUWER		
	300661	300661

BROCHURE

SPECIFICATIONS & PRICING

TEXTURE - 3 COMPRESSOR-HOPPER



SPECIFICATIONS				
Part numbers: EU, IT, DK, CH, UK - 230V	25D491	25D495 (Standard version) 25D493 (Pro version)	25D497	25D496
Compressor l/min	255	255	-	-
Max. air working pressure - bar (PSI)	Preset 2.75 (40)	Preset 2.75 (40)	-	-
Weight - kg (lbs)	33.5 (74)	35.18 (78.8)	1.85 (4.1)	2.18 (4.8)
FEATURES				
Pressure Boosted Hopper Gun		Pro version		■
Hopper		7.5 L (Standard version) 5.5L (Pro version)	7.5L	5.5L
Pressure/Flow dial		Pro version		■
Flat-Proof Tires	■	■		
COMPOSITION				
Nozzles		4mm, 6mm, 8mm	4mm, 6mm, 8mm	4mm, 6mm, 8mm
Gun		G-TEX Gravity-Fed - 25D497 (Standard version) FastFinish Pressure-Boosted - 25D496 (Pro version)	G-TEX Gravity-Fed - 25D497	FastFinish Pressure-Boosted - 25D496
Hose	3/8" x 15m - 17U302			
BROUWER	300760	300760	300760	300760

BROCHURE

SPECIFICATIONS & PRICING

TEXTURE - 4

APX	APX	
5200	6200	8200



SPECIFICATIONS			
Part Numbers: EU - 230V	-	17N345 17N346	17N352 17N353
Part Numbers: IT, DK, CH - 230V	-	17N343 17N344	17N350 17N351
Part Numbers: UK - 110V	17S762 17V697	-	-
Max. Tip Size	0.049"	0.051"	0.057"
Max. Flow - l/min (gpm)*	5.1 (1.35)	6.0 (1.6)	8.0 (2.1)
Max. Pressure - bar (PSI)	207 (3000)	207 (3000)	207 (3000)
Motor rating - kW (HP)	1.86 (2.5) DC Brushless	1.86 (2.5) DC Brushless	3 (4) DC Brushless
Weight - kg (lbs)	69 (151)	69 (151)	78 (170)
FEATURES			
ProGuard™	■	■	■
Endurance™ Pump	Hard Chrome	Hard Chrome	Hard Chrome
LED Display	■	■	■
Hopper	80L (6 bags)	60L (4 bags)	80L (6 bags)
Bag Roller		17N346 + 17N344	17N353 + 17N351
Vibra-Flo™ Shaker	-	■	■
ProConnect II	■	■	■
COMPOSITION			
Tips	HDA531	HDA641	
Guard	RAC X™ - 246215	RAC X™ - 246215	
Gun	HD Blue Texture - 289605 (17S762) HD Inline Texture 245820 (17V697)	HD Inline Texture - 245820	
Hose	Blue Max™ II 1/2" x 15m - 278499	X-Flo 5/8" x 15m - 17N984	
Whip hose	Blue Max™ II 3/8" x 3.5M - 191239	Super-Flex™ 1/2" x 4.5m - 17N982	
Toolbox	■	■	■
BROCHURE	300743	300743	300743

* Flow rates vary with different plasters. Smaller ID ceramic balls provide higher flow with plaster than SST balls with paint.

BROCHURE

* Flow rates vary with different plasters. Smaller ID ceramic balls provide higher flow with plaster than SST balls with paint.



SPECIFICATIONS & PRICING

TEXTURE - 5

	POWERFILL		
	3.5 STANDARD	3.5 PROCONTRACTOR	3.5 PROCONTRACTOR XL



SPECIFICATIONS			
Part Numbers: EU - 230V	26B435	26B436	26B437
Part Numbers: UK - 230V	26B536	26B537	26B538
Max. Flow - l/min (gpm)	13.2 (3.5)	13.2 (3.5)	13.2 (3.5)
Motor	DC Brushless	DC Brushless	DC Brushless
Weight - kg (lbs)	6.8 (15)	7.7 (17)	9.1 (20)
FEATURES			
SmartControl	■	Pro	Pro
Precision Fill technology		■	■
Speed Selector	ProControl™	ProControl™	ProControl™
Continuous Run		■	■
PowerStroke pump	■	■	■
ProConnect	■	■	■
Toolless design	■	■	■
Adjustable stabilizer leg	■	■	■
Bucket support	Adjustable up to 20L (18-38 cm range)	Adjustable up to 20L (18-38 cm range)	Adjustable up to 20L (18-38 cm range)
COMPOSITION			
Filler**	Standard horizontal	Hi-Rise Fill Tube (36 cm)	
Connections	Flat box, Corner/Angle box, Nail spotter, Compound tube		
Inlet filter (mesh)	Toolless 10 mesh		
Power supply	18V 2.0 Ah DEWALT® battery*		
Battery charger	■	■	■
BROCHURE	300795	300795	300795

* DEWALT® and the DEWALT Logo are trademarks of DEWALT Industrial Tool Co. and are used under licence.

** The gooseneck connection is an optional accessory.

BROCHURE

* DEWALT® and the DEWALT Logo are trademarks of DEWALT Industrial Tool Co. and are used under licence.

** The gooseneck connection is an optional accessory.



SPECIFICATIONS & PRICING

HEAVY DUTY - 1

GMAX II (HD 3-IN-1) STANDARD

3900

5900
(5900 HD)7900
(7900 HD)

SPECIFICATIONS			
Part Numbers	17G999	17H810 (17H819)	17H818 (17H820)
Max. tip size: 1 gun	0.036"	0.043"	0.047"
Max. tip size: 2 guns	0.023"	0.029"	0.035"
Max. flow - l/min. (gpm)*	4.7 (1.25)	6.0 (1.6)	8.3 (2.2)
Max. pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)
Engine displacement cm ³	120	200	200
Weight - kg (lbs)	50 (109)	64 (139)	67 (146)
FEATURES			
SmartControl™	3.0	3.0	3.0
LED display			
Hydraulic Pressure Gauge	■	■	■
Endurance™ Pump	■	■	■
Pump type	Paint	Paint (HD Texture)	Paint (HD Texture)
ProConnect 2			
Piston rod	Chromex	Chromex (Hard Chrome)	MaxLife™
Sleeve	Hard Chrome	Hard Chrome	MaxLife™
MaxFlo 2		(■)	(■)
Rock Catcher	Standard	Standard	Standard
TiltBack™	■	■	■
QuickReel™			
Flat-Proof Tires			
COMPOSITION			
Tips	PAA517	PAA517 (LTX427, LTX531)	
Guard	RAC X™ - 246215		
Gun	Contractor™ PC - 17Y043	Contractor™ PC - 17Y043 (HD Blue Texture - 289605)	
Gun Filter (mesh)	Easy Out™ 60 - 287032		
Hose	Blue Max™ II 1/4" x 15m - 240794	Blue Max™ II 1/4" x 15m - 240797 (1/4" x 15m - 240797)	
Whip hose		(Blue Max™ II 1/4" X 0.9 M - 241735)	
Tools	■**		
BRIDGEMORE	300718	300718	300718

BROCHURE

* Flow rates vary with different plasters. Smaller ID ceramic balls provide higher flow with plaster than SST balls with paint.

** 118 ml TSL™ 238049

GMAX II (HD 3-IN-1) PROCONTRACTOR

GMAX II (HD 3-IN-1) IRONMAN

3900

5900
(5900 HD)

7900
(7900 HD)

5900

7900
(7900 HD)



GMAX II (HD 3-IN-1) PROCONTRACTOR			GMAX II (HD 3-IN-1) IRONMAN	
3900	5900 (5900 HD)	7900 (7900 HD)	5900	7900 (7900 HD)
17E828	17E832 (17E840)	17E837 (17E842)	17E833	17E838 (17E843)
0.036"	0.043"	0.048"	0.043"	0.047"
0.023"	0.029"	0.035"	0.029"	0.035"
4.7 (1.25)	6.0 (1.6)	8.3 (2.2)	6.0 (1.6)	8.3 (2.2)
227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
120	200	200	200	200
57 (125)	70 (155)	74 (161)	64 (139)	67 (146)
3.0	3.0	3.0	3.0	3.0
■	■	■	■	■
Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex
Paint	Paint (HD Texture)	Paint (HD Texture)	Paint	Paint (HD Texture)
■	■	■	■	■
MaxLife™	MaxLife™	MaxLife™	MaxLife Extreme™	MaxLife Extreme™
MaxLife™	MaxLife™	MaxLife™	MaxLife™	MaxLife™
	(■)	(■)	■	■ (■)
CrushProof	CrushProof	CrushProof	CrushProof	CrushProof
■	■	■	■	■
■	■	■	■	■
PAA517	PAA517 (LTX427, LTX531)		PAA517 (LTX427, LTX531)	
RAC X™ - 246215			RAC X™ - 246215	
Contractor™ PC - 17Y043	Contractor™ PC - 17Y043 (HD Blue Texture - 289605)		Contractor™ PC - 17Y043	Contractor™ PC - 17Y043 (HD Blue Texture - 289605)
Easy Out™ 60 - 287032				
Blue Max™ II 1/4" x 15m - 240794	Blue Max™ II 1/4" x 15m 240794 (3/8" x 15m - 240797)		Blue Max™ II 1/4" x 15m - 240794	Blue Max™ II 1/4" x 15m 240794 (3/8" x 15m - 240797)
	(Blue Max™ II 1/4" X 0.9m - 241735)			(Blue Max™ II 1/4" X 0.9m - 241735)
	■**		■**	
300719	300719	300719	300769	300769

SPECIFICATIONS & PRICING

HEAVY DUTY - 2

DUTYMAX™ HD 3-IN-1 STANDARD

EH230 HD

GH230 HD

EH300 HD

GH300 HD



SPECIFICATIONS				
Part Numbers	24W941	24W943	24W965	24W967
Max. tip size: 1 gun	Paint 0.039" Plaster 0.047"	Paint 0.053" Plaster 0.057"	Paint 0.057" Plaster 0.063"	Paint 0.057" Plaster 0.063"
Max. flow - l/min (gpm)*	5.9 (1.56)	8.9 (2.35)	11.3 (3.0)	11.3 (3.0)
Max. pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
Motor	Electric 230V	Gas	Electric 380V	Gas
Motor rating - kW (HP)	2.2 (3)		5.5 (7.5)	
Engine displacement - cm ³		200		270
Weight - kg (lbs)	89 (197)	90 (199)	107 (236)	99 (218)
FEATURES				
SmartControl™			Phase Control	
Endurance™ Pump	■	■	■	■
Hydraulic driven pump	■	■	■	■
QuikReel™				
Hose Rack	■	■	■	■
MaxLife™				
Convertible (electric-gas)	■	■	■	■
ProConnect™				
COMPOSITION				
Tips	HDA427 + HDA531		HDA643 + WA1239	
Guard	RAC X™ - 246215			
Gun	HD Blue Texture - 289605		HD Inline Texture - 245820	
Hose	Blue Max™ II 3/8" x 15m - 240797		Blue Max™ II 1/2" x 15m - 278499	
Whip hose	Blue Max™ II 1/4" x 0.9m - 241735		Blue Max™ II 3/8" x 3.5m - 191239	
Tools	■**			
BROCHURE	300722	300722	300722	300722

* Flow rates vary with different plasters. Smaller ID ceramic balls provide higher flow with plaster than SST balls with paint.

** 118 ml TSL™ 238049

BROCHURE

* Flow rates vary with different plasters. Smaller ID ceramic balls provide higher flow with plaster than SST balls with paint.

** 118 ml TSL™ 238049

DUTYMAX™ HD 3-IN-1 PROCONTRACTOR

DUTYMAX™ HIGH PRESSURE

EH230 HD

GH230 HD

EH300 HD

GH300 HD

EH675DI

GH675DI



DUTYMAX™ HD 3-IN-1 PROCONTRACTOR				DUTYMAX™ HIGH PRESSURE	
EH230 HD	GH230 HD	EH300 HD	GH300 HD	EH675DI	GH675DI
24W942	24W962	24W966	24W968	25D224	25D223
Paint 0.039" Plaster 0.047"	Paint 0.053" Plaster 0.057"	Paint 0.057" Plaster 0.063"	Paint 0.057" Plaster 0.063"	0.041"	0.041"
5.9 (1.56)	8.9 (2.35)	11.3 (3.0)	11.3 (3.0)	5.7 (1.5)	5.7 (1.5)
227 (3300)	227 (3300)	227 (3300)	227 (3300)	465 (6750)	465 (6750)
Electric 230V	Gas	Electric 380V	Gas	Electric 380V	Gas
2.2 (3)		5.5 (7.5)		5.5 (7.5)	
	200		270		270
103 (227)	104 (229)	120 (266)	112 (248)	107 (236)	99 (218)
		Phase Control		Phase Control	
■	■	■	■	■	■
■	■	■	■	■	■
■	■	■	■	■	■
				■	■
Sleeve	Sleeve	Sleeve	Sleeve		
■	■	■	■	■	■
■	■	■	■		
HDA427 + HDA531	HDA643 + WA1239			XHD527 + XHD531	XHD527 + XHD531
RAC X™ - 246215				XHD - XHD001	XHD - XHD001
HD Blue Texture - 289605	HD Inline Texture - 245820			XTR7 HF - XTR706	XTR7 HF - XTR706
2 x Blue Max™ II 3/8" x 15m - 240797	2 x Blue Max™ II 1/2" x 15m - 278499			1/2" x 15m - H75050	1/2" x 15m - H75050
Blue Max™ II 1/4" x 0.9m - 241735	Blue Max™ II 3/8" x 3.5m - 191239			3/8" x 3m - H73810	3/8" x 3m - H73810
	■**			■**	■**
300723	300723	300723	300723	300758	300758

SPECIFICATIONS & PRICING

HEAVY DUTY - 3

GH™ BIG RIG

1017

2570

733

833



SPECIFICATIONS	1017	2570	733	833
Part Number: Bare	-	-	-	253471
Part Number: Bare Electric Start	16U277	16U278	16U279	16V258
Part Number: OEM kit	-	24U325	-	253473
Max. tip size	-	-	0.065"	0.065"
Max. flow - l/min (gpm)	62.5 (16.5)	26.5 (7.0)	15.1 (4.0)	15.1 (4.0)
Max. pressure - bar (PSI)	70 (1000)	172 (2500)	276 (4000)	276 (4000)
Engine displacement - cm ³	390	390	390	390
Electric Start	Yes	Yes	Yes	Only 16V258
Weight - kg (lbs)	215 (473)	16U278 - 214 (471) 24U325 - 62 (136)	197 (434)	253471 - 163 (360) 16V258 - 181 (398) 253473 - 29 (63)
FEATURES				
Pump type	Xtreme Piston QuikChange™	Xtreme Piston QuikChange™	Xtreme Piston QuikChange™	Endurance™ Piston
Hydraulic driven pump	■	■	■	■
Sleeve	Hard Chrome	Hard Chrome	Hard Chrome	MaxLife™
Piston Rod	Hard Chrome	Hard Chrome	Chromex	MaxLife™
Packing	XtremeSeal/Leather	PTFE/Leather	XtremeSeal/Leather	V-Max Blue™
Tie Rod	Silver - 16U336	Gold - 16U339	Silver - 16U336	-
Filter	No	No	No	Easy-Out™
Pulsation Dampener	Yes	No	No	No
Siphon Set - 200 liter	2.0" ID PVC	2.0" ID PVC	1.25" ID Nylon	1.5" ID PVC
Hose Rack	■	■	■	■
COMPOSITION				
	Bare units. Contact Graco for unit configurations			
BROCHURE	320593	320593	320593	320593

BROCHURE

GH™ BIG RIG

5040

933



	-	16U281
	16U280	16U285
	-	-
	0.067"	0.053"
	13.2 (3.5)	9.5 (2.5)
	345 (5000)	500 (7250)
	390	390
	Yes	Only 16U285
	199 (438)	16U281 - 181 (398) 16U285 - 199 (438)
	Xtreme Piston QuikChange™	Xtreme Piston QuikChange™
	■	■
	Hard Chrome	Hard Chrome
	Hard Chrome	Chromex
	XtremeSeal/Leather	XtremeSeal/Leather
	Silver - 16U336	Silver - 16U336
	No	Yes
	No	No
	2.0" ID PVC	1.0" ID Nylon
	■	■
<p>Bare units. Contact Graco for unit configurations</p>		
	320593	320593

SPECIFICATIONS & PRICING

PROFESSIONAL CLEANING - 1

G-FORCE™ II

3325 HA-DD

3230 HA-DD



SPECIFICATIONS			
Part Numbers	25N638	25N639	
Max Pressure - bar (PSI)	227 (3300)	220 (3200)	
Max. flow - l/min (gpm)	9.46 (2.5)	11.36 (3)	
Engine displacement - cm ³	200	270	
Pump	AR Brass Triplex	AR Brass Triplex	
Weight - kg (lbs)	30.4 (67)	37.2 (82)	
FEATURES			
Gardena® Connection	■	■	
Chemical injector	Integrated	Integrated	
Direct Driven	■	■	
Belt Driven			
Adjustable Unloader	Integrated	Integrated	
Easy Start Pressure Relief	■	■	
Light Weight Aluminium Frame	■	■	
Thermo-sensor	■	■	
Cold Water	■	■	
COMPOSITION			
Tips	0° - 805591 15° - 805592 25° - 805593 chemical tip - 805634	0° - 805539 15° - 805540 25° - 805541 chemical tip - 805634	
Gun	91cm + QDs - 244784		
Filter (mesh)	50		
Hose	15m + QDs - 244783		
Engine oil	■		
BROADBURE			
	320582	320582	

BROCHURE

G-FORCE™ II

4040 HG-DD

4040 HC-DD







G-FORCE™ II

4040 HG-BD

4040 HC-BD



G-FORCE™ II		G-FORCE™ II	
4040 HG-DD	4040 HC-DD	4040 HG-BD	4040 HC-BD
			
25N681	25N682	25N683	25N684
275 (4000)	275 (4000)	275 (4000)	275 (4000)
15.14 (4)	15.14 (4)	15.14 (4)	15.14 (4)
390	390	390	390
GP Brass Triplex	CAT Brass Triplex	GP Brass Triplex	CAT Brass Triplex
58.5 (129)	60.3 (133)	72.1 (159)	71.6 (158)
■	■	■	■
■	■	■	■
■	■	■	■
External	External	External	External
■	■	■	■
■	■	■	■
■	■	■	■
■	■	■	■
0° - 805543 15° - 805544 25° - 805545 40° - 805546 chemical tip - 805634		0° - 805543 15° - 805544 25° - 805545 40° - 805546 chemical tip - 805634	
90cm + QDs - 244784		90cm + QDs - 244784	
50		50	
15m + QDs - 244783		15m + QDs - 244783	
■		■	
320582	320582	320582	320582

SPECIFICATIONS & PRICING

PROFESSIONAL CLEANING - 2



SPECIFICATIONS		HP20 CORDED	HP20 CORDLESS	HP20 CORDLESS PROPACK
Part Numbers: EU - 230V	25R943	25R945	20A257	
Part Numbers: UK - 230V	25R949	25R950	20A256	
Max. Tip Size	0.019"	0.019"	0.019"	
Motor	AC	DC Brushless	DC Brushless	
MAX. PRESSURE - BAR (PSI)	69 (1000)	69 (1000)	69 (1000)	
Weight - kg (lbs)	2.1 (4.6)	2.4 (5.3)	2.4 (5.3)	
FEATURES				
Material compatibility	Non-alcohol based only*	Alcohol + non-alcohol based*	Alcohol + non-alcohol based*	
Repairable	■	■	■	
SmartControl	■	■	■	
Speed Selector	ProControl™ II	ProControl™ II	ProControl™ II	
Suction system	Vacuum	Vacuum	Vacuum & 1.8m material hose	
Cup system	Throw-away	Throw-away	Throw-away	
COMPOSITION				
Tips	FFLP310 + LP313 + LP515			
Guard	RAC X - 25R871			
Inlet Filter (mesh)	60 - 17P554			
Spray extension	40 cm (25T282)	40 cm (25T282)	40 cm (25T282)	
Power supply	3m Power Cable	2 x DeWalt® 18V max 2.0 Ah Lithium-Ion battery		
Battery charger		■	■	
Wrist & boot grounding strap				
Capacity	1.25L cup	1.25L cup	1.25L cup & 11.5L ProPack	
Cup liners		5		
Storage bag/case		Bag		
BROCHURE		300788		

* See operating manual for detailed list of compatible disinfection, sanitizing and deodorizing materials.

** DEWALT® and the DEWALT Logo are trademarks of DEWALT Industrial Tool Co. and are used under licence.

BROCHURE

* See operating manual for detailed list of compatible disinfection, sanitizing and deodorizing materials.

** DEWALT® and the DEWALT Logo are trademarks of DEWALT Industrial Tool Co. and are used under licence.

SANISPRAY™

HP20 CORDLESS
ELECTROSTATIC

HP20 CORDLESS ELEC-
TROSTATIC PROPACK



	25T756	20A244
	25T772	20A249
	0.019"	0.019"
	DC	DC
	69 (1000)	69 (1000)
	2.9 (6.4)	2.9 (6.4)
	Non-alcohol based only*	Non-alcohol based only*
	■	■
	■	■
	ProControl™ II	ProControl™ II
	Vacuum	Vacuum & 1.8m material hose
	Throw-away	Throw-away
	FFLP310 + LP313 + LP515	
	RAC X - 25R871	
	60 - 17P554	
	2 x DeWalt® 18V max 2.0 Ah Lithium-Ion battery	
	■	■
	■	■
	1.25L cup	1.25L cup & 11.5L ProPack
	5	
	Bag	
	300788	

SPECIFICATIONS & PRICING

PROFESSIONAL CLEANING - 2

SANISPRAY™

HP65

HP130



SPECIFICATIONS		
Part Numbers: EU - 230V	25R946	25R947
Part Numbers: IT, DK, CH - 230V	25R948	25R947
Part Numbers: UK - 110V	-	25R951
Max. Tip Size: 1 gun	0.023"	0.031"
Max. Tip Size: 2 guns	-	0.023"
Max. Flow - l/min (gpm)	1.9 (0.50)	3.8 (1.0)
Max. Pressure - bar (PSI)	69 (1000)	69 (1000)
Weight - kg (lbs)	12.1 (28)	31 (69)
FEATURES		
SmartControl™	■	■
Hopper	■	
ProX Piston Pump	■	
ProXChange™ Pump System	■	
Endurance™ Pump		■
ProConnect™		■
TiltBack™		■
Hose rack		■
COMPOSITION		
Tips	LP515 + LP617 + LP619	2x LP617 + 2x LP619 + 2x LP621
Guard	RAC X - 25R871	RAC X - 25R871
Extension	40 cm - 25T282	2x 40 cm - 25T282
Gun	SaniSpray HP Gun - 25T289	2x SaniSpray HP Gun - 25T289
Hose	Blue Max™ II 1/4" x 15m - 240794	2x Blue Max™ II 1/4" x 15m - 240794
Whip Hose	Blue Max™ II 1/8" x 1.4m - 25C828	2x Blue Max™ II 1/8" x 1.4m - 25C828
BROCHURE	300788	300788

BROCHURE

300788

300788



SPECIFICATIONS & PRICING

PAVEMENT & MARKING - 1



	LINELAZER™	LINELAZER™	LINELAZER™ V
ES 500 Stencil	ES 500	ES 1000	ES 2000



SPECIFICATIONS				
Part Number - 1 mech gun	25U514	25U547	25M228	25N553
Part Number - 2 mech guns	-	-	-	25N561
Max. Tip Size - 1 gun	0.021"	0.021"	0.025"	0.033"
Max. Tip Size - 2 guns	-	-	-	0.025"
Max. Flow - l/min. (gpm)	1.8 (0.47)	1.8 (0.47)	2.3 (0.6)	4.1 (1.1)
Max. Pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
Battery Power - Volt (Ah)	2 x 54V DeWALT® Flexvolt battery 6.0Ah	2 x 54V DeWALT® Flexvolt battery 6.0Ah	12V (100Ah Deep Cycle AGM) (100)	2 x 12V (100Ah Deep Cycle AGM) (100)
Weight - kg (lbs)	14 (31)	56 (123)	154 (340)	195 (430)
FEATURES				
LiveLook Display				■
Hydraulic Pressure gauge	■	■	■	
SmartControl™			■	■
FastFlush™			■	
Endurance™ Pump	Mechanical	Mechanical	Mechanical	Mechanical
EZ Align™ system			■	■
EasyMark System		■	■	■
QuikSelect™ Gun Selector			Manual	Manual
Rear-gun Mounted			■	■
Dualcomfort™ Handlebar system			■	■
LineDriver™*			Optional	Optional
ProConnect™	■	■	■	
COMPOSITION				
Tips	286419	LL5317 + LL5419	LL5319 + LL5421	LL5319 + LL5421
Guard	RAC V (243161)	RAC V (243161)	RAC V (243161)	RAC V (243161)
Extension	40 cm (223718)			
Gun	Flex Plus™ (248157)	Flex Plus™ (248157)	Flex Plus™ (248157)	Flex Plus™ (248157)
Hose	Blue Max™ II 1/4" x 15 m (249080)	Blue Max™ II 1/4" x 15 m (249080)	Blue Max™ II 1/4" x 15 m (249080)	Blue Max™ II 3/8" x 6.7 m (124884) Blue Max™ II 1/4" x 2.1 m (245798)
Pump filter (Mesh)	60 (243984)	60 (243984)	60 (243984)	50 (24V455)
Power supply	2 x 54V DeWALT® Flexvolt 6.0Ah battery with DeWALT® Fast-Charger with DeWALT® Fan-Cooled Fast Charger	2 x 54V DeWALT® Flexvolt 6.0Ah battery with DeWALT® Fast-Charger with DeWALT® Fan-Cooled Fast Charger	1 x 12V battery with 230W 230V interlock (E30 for DK, CH, UK cables cable set)	2 x 12V battery with 230W 230V interlock (E30 for DK, CH, UK cables cable set)
TSL™	118ml (238049)	118ml (238049)	118ml (238049)	118ml (238049)
TSL™				
BROCHURE PRICING	300720**	300720**	300720**	300720**

* See page 44 for more information on LineDriver
 ** See the Pavement catalogue for the complete product range

BROCHURE

* See page 44 for more information on LineDriver
 ** See the Pavement catalogue for the complete product range



SPECIFICATIONS & PRICING

PAVEMENT & MARKING - 2

LINELAZER™ V STANDARD

3400

130HS

3900



SPECIFICATIONS				
Part Number - 1 mech gun	25M224	17H447	17H449	
Part Number - 2 mech guns	-	17H448	17H450	
Max. Tip Size - 1 gun	0.027"	0.037"	0.035"	
Max. Tip Size - 2 guns	-	0.029"	0.025"	
Max. Flow - l/min. (gpm)	2.8 (0.75)	4.9 (1.3)	4.7 (1.25)	
Max. Pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)	
Motor rating - cm ³	120	120	120	
Weight - kg (lbs)	72.5 (160)	119 (263)	104 (230)	
FEATURES				
LiveLook Display			■	
Endurance™ Pump	Mechanical	Hydraulic	Mechanical	
AVRS		■	■	
EZ Align™ System		■	■	
EasyMark System	■	■	■	
Quickselect™ Gun Selector		Manual	Manual	
Rear-gun Mounted		■	■	
Dualcomfort™ Handlebar system		■	■	
Linedriver*		Optional	Optional	
COMPOSITION				
Tips	LL5317 + LL5319	LL5319 + LL5421	LL5319 + LL5421	
Guard	RAC V (243161)			
Gun	Flex Plus™ (248157)			
Hose	Blue Max™ II 1/4" x 15 m (249080)	Blue Max™ II 3/8" x 6.7 m (124884)	Blue Max™ II 3/8" x 15 m (245225)	
Pump filter (mesh)	60 (243984)	50 (24V455)		
Fuel capacity - L (gal)		2.5 (0.66)		
TSL™	118ml (238049)			
BROCHURE				
	300720**	300720**	300720**	

* See page 44 for more information on LineDriver

** See the Pavement catalogue for the complete product range

BROCHURE

* See page 44 for more information on LineDriver

** See the Pavement catalogue for the complete product range

LINELAZER™ V STANDARD

5900

200HS

200DC



	17H454	17H459	-
	17H455	17H461	17Y231
	0.043"	0.047"	0.047"
	0.029"	0.033"	0.033"
	6.0 (1.6)	8.14 (2.15)	8.14 (2.15)
	227 (3300)	227 (3300)	227 (3300)
	160	200	200
	113 (250)	139 (306)	173 (381)

	■	■	■
	Mechanical	Hydraulic	Hydraulic
	■	■	■
	■	■	■
	■	■	■
	Manual	Manual	Manual
	■	■	■
	■	■	■
	Optional	Optional	Optional

	LL5319 + LL5421	
	RAC V (243161)	
	Flex Plus™ (248157)	
Blue Max™ II 3/8" x 15 m (245225)	Blue Max™ II 3/8" x 6.7 m (124884)	Blue Max™ II 3/8" x 3.6 m (191239)
	50 (24V455)	
	3.6 (0.95)	
	118ml (238049)	
	300720**	300720**
	300720**	300720**

SPECIFICATIONS & PRICING

PAVEMENT & MARKING - 3



SPECIFICATIONS			
Part Number	262004	262005	25N556
Motor Engine - cc (hp)	160 cm ³	200 cm ³	4x 6V DEEP CYCLE AGM 3x 24 V 50 Ah LITHIUM
Fuel Capacity - L (gal)	3.6 (0.95)	3.6 (0.95)	-
Weight kg - (lb)	120 (266)	125 (277)	250 (550)
BROCHURE	300720	300720	300720

* All LineDriver units can be used on the LineLazer, ThermoLazer and the HP GrindLazer

** See the Pavement catalogue for the complete product range

* All LineDriver units can be used on the LineLazer, ThermoLazer and the HP GrindLazer

** See the Pavement catalogue for the complete product range



SPECIFICATIONS & PRICING

SURFACE PREPARATION

GRINDLAZER™

STANDARD DC21 E

STANDARD RC71 E

STANDARD DC87 G

STANDARD DC89 G



SPÉCIFICATIONS				
Part Number (Unit only)*	25N391	25N392	25M842	25M843
Part Number (Unit only) with DCS*	-	-	-	-
Cutter Type	Drum	Rotary	Drum	Drum
Max. Working Width	5 cm (2")	17.5 cm (7")	20 cm (8")	20 cm (8")
Cutter Drum Diameter	10 cm (4")	-	12.5 cm (5")	12.5 cm (5")
Engine/Motor - cm ³ (HP)	230V Makita	230V Makita	Honda 200 (6.5)	Honda 270 (9)
Engine Start	-	-	Pull Start	Pull Start
Tach/Hour Meter	-	-	■	■
Max. Cut Rate (Walk) - m ² /hr (sq ft/hr)	10 m ² /hr (100 sq ft/hr)	10 m ² /hr (100 sq ft/hr)	30 m ² /hr (300 sq ft/hr)	40 m ² /hr (400 sq ft/hr)
Max. Cut Rate (LineDriver/Skid loader)	-	-	-	-
Weight - kg (lbs)	5.4 (12)	6.8 (15)	57 (125)	68 (150)
CARACTÉRISTIQUES				
Vacuum Port	■	■	■	■
Air Filter	-	-	Cyclone™	Cyclone™
Water Connection	-	-	Optional	Optional
LineDriver Compatible	-	-	No	No
BROCHURE	341251**	341251**	341251**	341251**

* All units are delivered bare so review the GrindLazer catalogue for more details on the supported drums.

** See the GrindLazer catalogue for the complete product range.

BROCHURE

* All units are delivered bare so review the GrindLazer catalogue for more details on the supported drums.

** See the GrindLazer catalogue for the complete product range.

GRINDLAZER™

PRO DC1013 G

PRO RC813 G

HP DC89 G

HP DC1013 G



	25M846	25M847	25M992	25M993
	-	25N669		25N658
	Drum	Rotary	Drum	Drum
	25 cm (10")	20 cm (8")	20 cm (8")	25 cm (10")
	17.5 cm (7")	-	17.5 cm (7")	17.5 cm (7")
	Honda 390 (13)	Honda 390 Vertical (13)	Honda 270 (9)	Honda 390 (13)
	Pull Start	Electric Start	ProStart	ProStart (25M993) Electric Start (25N658)
	■	■	■	■
	65 m ² /hr (700 sq ft/hr)	75 m ² /hr (800 sq ft/hr)	55 m ² /hr (600 sq ft/hr)	75 m ² /hr (800 sq ft/hr)
	-	-	120 m ² /hr (1300 sq ft/hr)	160 m ² /hr (1700 sq ft/hr)
	114 (250)	204 (450) (25M847) 216 (475) (25N669)	136 (300)	141 (310) (25M993) 161 (355) (25N658)
	■	■	■	■
	Cyclone™	Standard	Cyclone™	Cyclone™
	Optional	No	Optional	Optional
	No	No	Optional LineDriver	Optional LineDriver
	341251**	341251**	341251**	341251**



ACCESSORIES

SPECIFICATIONS & PRICING

Touch-Up Accessories	p.	50 - 51
Fine Finish Accessories	p.	52 - 59
Airless Accessories	p.	60 - 81
Texture Accessories	p.	82 - 89
Heavy Duty Accessories	p.	90 - 91
Professional Cleaning Accessories	p.	92 - 93
General Parts	p.	94 - 95

CanConnect™, connect your paint cans directly to your Ultra Airless Handheld sprayer. Designed to fit your 1 liter paint can, the CanConnect™ acts as a holder for your paint can allowing your Ultra Airless Handheld™ to use the paint directly from the paint can.









ULTRA AIRLESS HANDHELD



PART NUMBER	DESCRIPTION
17P550	KIT CUP COMPLETE - 1L (32 OZ) STANDARD, ULTRA HANDHELD
17P551	KIT CUP COMPLETE - 1L (32 OZ) SOLVENT, ULTRAMAX HANDHELD
17P552	KIT CUP COMPLETE - 1.25L (42 OZ) STANDARD, ULTRA HANDHELD
17P553	KIT CUP COMPLETE - 1.25L (42 OZ) SOLVENT, ULTRAMAX HANDHELD
17A226	LINER 1L (32 OZ) (X3)
17P212	LINER 1L (32 OZ) (X25)
17F005	LINER 1.25L (42 OZ) (X3)
17P549	LINER 1.25L (42 OZ) (X25)
17N392	CUP, 1L (32 OZ)
17D850	CUP, 1.25L (42 OZ)
17N515	LID ASSEMBLY - STANDARD, ULTRA HANDHELD
17N517	LID ASSEMBLY - SOLVENT, ULTRAMAX HANDHELD
17M879	LID PLUG, ULTRA HANDHELD

TOUCH-UP ACCESSORIES






	PART NUMBER	DESCRIPTION
	17P554	FILTER - 60 MESH (X3)
	17P555	FILTER - 100 MESH (X3)
	17P501	TIP SEAT/GASKET - STANDARD, ULTRA HANDHELD (X5)
	17P502	TIP SEAT/GASKET - SOLVENT, ULTRAMAX HANDHELD (X5)
	17P557	BATTERY 18V 2.0 AH LI-ION ULTRA(MAX) HANDHELD
	17P560	CHARGER, ULTRA(MAX) HANDHELD, 230V
	17M883	STORAGE BAG
	253574	PUMP ARMOR 1L (32 OZ)
	246215	RAC X GUARD 7/8" - ULTRA HANDHELD - WATER-BASED
	17P573	RAC X GUARD 1" - ULTRAMAX HANDHELD - SOLVENT RESISTANT
	287019	25 CM TIP EXTENSION WITH RAC X GUARD (FOR ULTRA HH ONLY)
	287020	40 CM TIP EXTENSION WITH RAC X GUARD (FOR ULTRA HH ONLY)
	16H256	GROUNDING CABLE
	17P712	VACUVALVE CAP (X3)
	17P185	TRIAx PUMP ULTRA HANDHELD AC
	17P186	TRIAx PUMP ULTRA HANDHELD DC
	17P187	TRIAx PUMP ULTRAMAX HANDHELD DC



Quick Needle Exchange
 Change needles from the front of the gun with just a click
 Easy to change, easy to clean with no tools needed




HVLP GUNS & ACCESSORIES

HVLP EDGE II GUNS & ACCESSORIES

	PART NUMBER	DESCRIPTION
	17P481	HVLP EDGE II GUN, 1L (32 OZ) FLEXLINER CUP, #3 FLUID SET (17P486), TRIGGER STOP
	17P653	HVLP EDGE II GUN, SIPHON CUP, #3 FLUID SET (17P486), TRIGGER STOP
	17P483	HVLP EDGE II PLUS GUN, 1L (32 OZ) FLEXLINER CUP, #3 FLUID SET (17P486), TRIGGER STOP, ARTISAN AIR CONTROL, FAN WIDTH CONTROL
	17P484	HVLP EDGE II PLUS GUN, SIPHON CUP, #3 FLUID SET (17P486), TRIGGER STOP, ARTISAN AIR CONTROL, FAN WIDTH CONTROL
	17P654	HVLP EDGE II PLUS PROCOMP GUN, NO CUP, #3 FLUID SET (17P486), TRIGGER STOP, ARTISAN AIR CONTROL, FAN WIDTH CONTROL
	17P485	HVLP EDGE II QUICK RELEASE FLUID SET #2 (0.8 MM)
	17P486	HVLP EDGE II QUICK RELEASE FLUID SET #3 (1.3 MM)
	17P487	HVLP EDGE II QUICK RELEASE FLUID SET #4 (1.8 MM)
	17P488	HVLP EDGE II QUICK RELEASE FLUID SET #5 (2.2 MM)
	17P489	HVLP EDGE II QUICK RELEASE FLUID SET #6 (2.5 MM)
	17P490	HVLP EDGE II QUICK RELEASE FLUID SET #7 (2.8 MM)
	17P709	HVLP EDGE II GUN AIR CAP
	17P492	HVLP EDGE II GUN RETAINING RING
	17P493	HVLP EDGE II PLUS GUN RETAINING RING
	17P718	HVLP EDGE II TRIGGER STOP KIT
	256927	ARTISAN AIR CONTROL KIT
	17P491	HVLP EDGE II GUN EXTENSION, 30CM

FINE FINISH ACCESSORIES

HVLP EDGE GUN ACCESSORIES **ACCESSORIES**

	PART NUMBER	DESCRIPTION
	256946	HVLP EDGE QUICK RELEASE FLUID SET #2 (0.8 MM)
	256947	HVLP EDGE QUICK RELEASE FLUID SET #3 (1.3 MM)
	256948	HVLP EDGE QUICK RELEASE FLUID SET #4 (1.8 MM)
	256949	HVLP EDGE QUICK RELEASE FLUID SET #5 (2.2 MM)
	256950	HVLP EDGE QUICK RELEASE FLUID SET #6 (2.5 MM)
	256951	HVLP EDGE GUN AIR CAP
	256861	HVLP EDGE GUN RETAINING RING
	257086	HVLP EDGE TRIGGER STOP KIT
	256952	HVLP EDGE GUN EXTENSION, 25CM

	EDGE I		EDGE II		EDGE II PLUS	
TRIGGER STOP	257086		17P718		-	-
ARTISAN AIR CONTROL KIT	256927		256927		256927	
AIR CAP	256951		17P709		17P709	
RETAINING RING	256861		17P492		17P493	
GUN EXTENSION	256952		17P491		17P491	






Superflex Air Hose - 15% lighter weight than other leading brands for more control at the gun.
No tools hose connection.

HVLP CUPS, GASKETS, LINERS & HOSES

HVLP CUPS, GASKETS & LINERS

	PART NUMBER	DESCRIPTION
	17R462	HVLP EDGE II CUP, UNDER ASSEMBLY, 1L
	244132	HVLP EDGE CUP, (CUP ONLY), 1L, HVLP
	244130	HVLP EDGE CUP, UNDER ASSEMBLY, 1L HVLP
	257091	REMOTE CUP (CUP ONLY) 1L
	257098	REMOTE CUP 1L W/LID, 1.5M MATERIAL AIR
	287819	REMOTE CUP 2L W/LID, 1.5M MATERIAL AIR
	120126	CUP, (CUP ONLY), 2L, HVLP
	17S115	CUP OVER KIT, EDGE II, 0.5 L
	17S116	CUP OVER KIT, EDGE II PLUS, 0.5 L
	240265	GASKET, 1L CUP (X5)
	244953	GASKET, 9.5L POLYETHYLENE, (X3) PRESSURE CUP

FINE FINISH ACCESSORIES

	PART NUMBER	DESCRIPTION
	17A226	LINER 1L (32 OZ) (X3)
	17P212	LINER 1L (32 OZ) (X25)
	240266	LINER KIT, 1L (X40) HVLP
	112077	LINER KIT, 9.5 L (X5) HVLP PRESSURE CUP
	112078	LINER KIT, 9.5 L (X25) HVLP PRESSURE CUP











HVLP HOSES

	PART NUMBER	DESCRIPTION
	240475	MATERIAL HOSE, PRESSURE FEED, 3/8", 6M
	240476	MATERIAL HOSE, PRESSURE FEED, 3/8", 9M
	240477	MATERIAL HOSE, PRESSURE FEED, 3/8", 12M
	240478	MATERIAL HOSE, PRESSURE FEED, 3/8", 15M
	17R300	EDGE II SUPER-FLEX AIR HOSE, 3/4" INSIDE, 6M
	257159	SUPER-FLEX AIR HOSE, 3/4" INSIDE, 9M
	241414	SUPER-FLEX AIR HOSE, 3/4" INSIDE, 12M
	241423	SUPER-FLEX HOSE, AIR & MATERIAL, 9M
	17R299	EDGE II SUPER-FLEX WHIP AIR HOSE, 3/4" INSIDE, 1.2M






For larger jobs, with fine finish quality, the 1-liter cup might cause fatigue after hours of spraying. ProComp™ can make your work a lot lighter and more comfortable as this extra external compressor makes it possible to separate the material from the gun. The powerful compressor attaches to any HVLP TurboForce™ sprayer: it takes only a few seconds without any tools. No controls (kits available for manual settings)

HVLP ACCESSORIES VARIOUS

	PART NUMBER	DESCRIPTION
	240069	Y-CONNECTOR, 2 HOSES
	240282	QUICK DISCONNECT KIT, TURBINE AIR
	244133	TUBE, AIR PRESS, S GUN (X5)
	244135	CUP CHECK VALVE KIT (X5)
	256953	CLEANING BRUSH KIT
	256954	DELUXE CLEANING KIT
	256957	QUICKCLEAN CHECK VALVE ASSEMBLY
	256956	QUICKCLEAN CHECK VALVE (X3)
	256959	REMOTE CUP SHOULDER STRAP
	M70702	VISCOSITY CUP, FORD 4













FINE FINISH ACCESSORIES

	PART NUMBER	DESCRIPTION
	193218	CONE MATERIAL STRAINER
	240267	CONE MATERIAL STRAINER (X3)
	240273	TURBINE PRO-FILTER SET REPLACEMENT PAPER
	240274	PRO-FILTER REPLACEMENT KIT (X5)
	15W909	TURBINE FOAM FILTER






When selecting a gun, there are several factors to consider, such as the size of the fluid passage and diffuser, pressure rating, as well as the comfort and feel of the gun.









AIRLESS (AIR-ASSISTED) GUNS

	PART NUMBER	DESCRIPTION
	17Y043	CONTRACTOR PC GUN, RAC X, LP517
	19Y350	CONTRACTOR PC COMPACT GUN, RAC X, LP517
	262932	G40 GUN, FLAT TIP AAM309 (INCL. FAN REGULATOR)
	262929	G40 GUN, RAC TIP FFA210 (NO FAN REGULATOR)
	17J910	SG3 GUN, 4F, RAC X, PAA515
	288438	FTX-E GUN, 4F, RAC X, PAA517
	288475	CONTRACTOR GUN, 2F, RAC X, PAA517
	246240	SILVER GUN, 2F WITH RAC X (LTX517) TIP AND RAC X GUARD, 345 BAR
	235460	SILVER GUN, 2F, GUARD, NO TIP
	235461	SILVER GUN, 4F, GUARD, NO TIP
	235462	SILVER GUN, 2F, FLAT TIP GUARD, NO TIP
	235465	SILVER GUN, 2F, BARE
	289605	HD BLUE PLASTER GUN WITH RAC X GUARD AND 531 TIP

AIRLESS ACCESSORIES

	PART NUMBER	DESCRIPTION
	245820	HD INLINE PLASTER GUN
	244364	CONTRACTOR IN-LINE GUN WITH FILTER, 250 BAR
	246468	FLEX GUN WITH RAC X 517
	224472	MASTIC GUN, 36" (90CM), EXTENSION, 276 BAR
	248947	OVERSPRAY CONTROL KIT (LL5321, LL5419, 287030, 243295, AND 246538)

CONCRETE INJECTION SYSTEMS

	PART NUMBER	DESCRIPTION
	17E247	INJECTION KIT, GAUGE, FLEXIBLE FOR GUN
	17E248	INJECTION KIT, GAUGE, RIGID FOR GUN
	17E249	INJECTION KIT, GAUGE, FLEXIBLE AND VALVE
	17E250	INJECTION KIT, GAUGE, RIGID AND VALVE
	17E251	INJECTION KIT, FLEXIBLE FOR GUN
	17E252	INJECTION KIT, RIGID FOR GUN
	17E253	INJECTION KIT, FLEXIBLE AND VALVE
	17E254	INJECTION KIT, RIGID AND VALVE



OPTIMIZE FLOW AND PRESSURE

When extending your hose length (over 15 m), it is always recommended to increase your hose diameter. Larger ID reduces friction.

AIRLESS (AIR-ASSISTED) HOSES

PART NUMBER

DESCRIPTION

214981	BLUE MAX II HOSE 3/16" X 4.5M (FBE), 1/4"18NPSM FXF, 227 BAR
214698	BLUE MAX II HOSE 3/16" X 7.5M (FBE), 1/4"18NPSM FXF, 227 BAR
214697	BLUE MAX II HOSE 3/16" X 15M (FBE), 1/4"18NPSM FXF, 227 BAR
223756	BLUE MAX II HOSE 1/4" X 4.5M (FBE), 1/4"18NPSM FXF, 227 BAR
240793	BLUE MAX II HOSE 1/4" X 7.5M (FBE), 1/4"18NPSM FXF, 227 BAR
240794	BLUE MAX II HOSE 1/4" X 15M (FBE), 1/4"18NPSM FXF, 227 BAR
241272	BLUE MAX II HOSE 1/4" X 20M (FBE), 1/4"18NPSM FXF, 227 BAR
223771	BLUE MAX II HOSE 1/4" X 30M (FBE), 1/4"18NPSM FXF, 227 BAR
277250	BLUE MAX II HOSE 1/4" X 15M (FBE), 1/4"18NPSM FXF, 276 BAR
278499	BLUE MAX II HOSE 1/2" X 15M (FBE), 1/2"14NPSM FXF, 227 BAR
240796	BLUE MAX II HOSE 3/8" X 7.5M (FBE), 1/4"18NPSM FXF, 227 BAR
240797	BLUE MAX II HOSE 3/8" X 15M (FBE), 1/4"18NPSM FXF, 227 BAR
241275	BLUE MAX II HOSE 3/8" X 30M (FBE), 1/4"18NPSM FXF, 227 BAR
277251	BLUE MAX II HOSE 3/8" X 15M (FBE), 3/8"18NPSM FXF, 276 BAR
238358	BLUE MAX II WHIP 3/16" X 0.9M, 1/4"18NPSM MXF, 227 BAR
238959	BLUE MAX II WHIP 3/16" X 1.4M, 1/4"18NPSM MXF, 227 BAR
238359	BLUE MAX II WHIP 3/16" X 1.8M, 1/4"18NPSM MXF, 227 BAR
25C827	BLUE MAXX II WHIP 1/8" X 0.9M, 1/4"18NPSM MXF, 227 BAR
25C828	BLUE MAXX II WHIP 1/8" X 1.4M, 1/4"18NPSM MXF, 227 BAR
277249	BLUE MAX II WHIP 1/4" X 0.9M, 1/4"(F) X 3/8"(M) 18NPSM, 276 BAR
241735	BLUE MAX II WHIP 1/4" X 0.9M, 1/4"(F) X 1/4"(M) 18NPSM, 227 BAR
277351	BLUE MAX II WHIP 3/8" X 0.9M, 1/8"(F) 18NPSM X 1/2"(M) 14NPT, 276 BAR
191239	BLUE MAX II WHIP 3/8" X 3.5M, 3/8" 318NPSM FXF, 227 BAR



AIRLESS ACCESSORIES






	PART NUMBER	DESCRIPTION
	289959	T-MAX 506/657/6912 WHIP HOSE 3/4" X 3M, CAM M X F, 69 BAR
	26A802	T-MAX 506/657/6912 WHIP HOSE 3/4" X 10M, CAM M X F, 69 BAR
	289960	T-MAX 506/657/6912-MATERIAL HOSE 1" X 5M, CAM M X F, 69 BAR
	289961	T-MAX 506/657/6912-MATERIAL HOSE, 1" X 10M, CAM M X F, 69 BAR
	17Z187	T-MAX 506/657/6912-MATERIAL HOSE, 1" X 15M, CAM M X F, 69 BAR
	17Z188	T-MAX 506/657/6912-MATERIAL HOSE, 1" X 30M, CAM M X F, 69 BAR
	18A560	T-MAX 506/657/6912-MATERIAL HOSE, SOLVENT COMPATIBLE, 3/4" x 15M, CAM M X F, 69 BAR
	18A559	T-MAX 506/657/6912-MATERIAL HOSE, SOLVENT COMPATIBLE, 3/4" x 30M, CAM M X F, 69 BAR
	248557	T-MAX,AIR HOSE KIT 3/8" X 15M + REGULATOR, 1/4"-18NPTM M X F, 17 BAR
	17J420	TRANSLUCENT HOSE KIT 1" X 7,5M
	17J421	TRANSLUCENT HOSE KIT 1" X 15M
	17J454	TRANSLUCENT HOSE KIT 3/4" X 7,5M
	17L000	HD HOSE KIT 1" X 7,5M
	17L003	HD HOSE KIT 1" X 15M
	17L005	HD HOSE KIT 1-1/4" X 7,5M
	17L009	HD HOSE KIT 1-1/4" X 15M
	17L010	HD WHIP HOSE 1" X 3M
	287314	ROTOFLEX PUMP HOSE KIT
	256976	STRAPPED HOSE, 7.5M AIR + FLUID, FP290
	257520	STRAPPED HOSE EXTENSION, 7.5M FP290
	24U578	SUPER-FLEX FLUID AND AIR HOSE SET 7.5M, INCLUDING 2M WHIP HOSE
	24U579	SUPER-FLEX FLUID AND AIR HOSE SET 15M, INCLUDING 2M WHIP HOSE
	278750	SUPER-FLEX WHIP HOSE, 1/8" X 2M
	17N982	SUPER-FLEX WHIP HOSE, 1/2" X 4.5M (APX)
	24U576	FLEX WRAP HOSE PROTECTOR 7,5M
	24U577	FLEX WRAP HOSE PROTECTOR 15M
	17N984	X-FLO HOSE 5/8" X 15M (APX)



OPTIMIZE EFFICIENCY

Whether you simply need to replace your worn-out spray kits, or whether you want one spray line for solvent-based material and another for waterborne: complete Gun/Tip/Hose Kits exist for each of the gun types

AIRLESS (AIR-ASSISTED) GUN, TIP & HOSE KITS

	PART NUMBER	DESCRIPTION
	17Y051	CONTRACTOR PC GUN, RAC X, LP517, 1/4"X15M + WHIP 3/16" X 1.5M
	17Y220	CONTRACTOR PC GUN, RAC X, FFLP210 + FFLP312, 3/16" X 7.5M, 25CM EXTENSION + 2 X 100 MESH FILTERS + SOLVENT KIT)
	19Y445	CONTRACTOR PC COMPACT GUN, RAC X, LP517, WHIP 1/8" X 1.4M
	19Y489	CONTRACTOR PC COMPACT GUN, RAC X, LP517, 1/4" X 15M + WHIP 1/8"X 1.4M
	24V155	G40 GUN, TIP, 2M WHIP, SUPERFLEX FLUID AND AIR HOSE KIT 7.5M (DELIVERED WITH 262932 + 24U578)
	24V156	G40 GUN, TIP, 2M WHIP, SUPERFLEX FLUID AND AIR HOSE KIT 15M (DELIVERED WITH 262929 + 24U579)
	288499	FTX-E GUN, 4F, RAC V (517,60M), 1/4"X15M + WHIP 3/16"X 0.9M
	289611	HD BLUE PLASTER GUN, RAC X (427,531), 3/8"X 15M + WHIP 1/4" X 0.9M

AIRLESS ACCESSORIES



RAC X guard is compatible with RAC X tips.



AIRLESS GUARDS

	PART NUMBER	DESCRIPTION
	246215	GUARD RAC X 7/8" THREAD - 250BAR
	246437	GUARD RAC X 11/16" THREAD 250 BAR
	246770	GUARD RAC X M18 X 1.5 THREAD - 250BAR
	243161	GUARD RAC V, 7/8" THREAD - 250 BAR
	243263	GUARD RAC V, 11/16" THREAD - 250 BAR
	220247	GUARD FF FLAT TIP, 7/8" THREAD - 250 BAR
	220249	GUARD FF FLAT TIP, 11/16" THREAD - 250 BAR
	220251	GUARD FLAT TIP, 7/8" THREAD - 350 BAR
	220255	GUARD FLAT TIP, 11/16" THREAD - 350 BAR
	224454	TIP FILTER, 60 MESH (5X)
	238564	TIP FILTER, 60 MESH (25X)
	224453	TIP FILTER, 100 MESH (5X)
	238562	TIP FILTER, 100 MESH (25X)
	220254	KIT (60 MESH + 100 MESH + GUARD)
	127465	INLINE AIRFILTER, DISPOSIBLE
	24U981	INLINE AIRFILTER, DISPOSIBLE (5X)
	24U982	INLINE AIRFILTER, DISPOSIBLE (25X)
	246215	RAC X GUARD 7/8" - STANDARD, ULTRA HANDHELD
	17P573	RAC X GUARD 1" - SOLVENT, ULTRAMAX HANDHELD



EXTEND YOUR REACH

A full range of accessories has been developed to highly increase the comfort, the speed and the productivity that you need to paint hard-to-reach areas.

AIRLESS POLE GUNS, CLEANSHOT & TIP EXTENSIONS

	PART NUMBER	DESCRIPTION
	287019	25 CM TIP EXTENSION WITH RAC X GUARD
	287020	40 CM TIP EXTENSION WITH RAC X GUARD
	287021	50 CM TIP EXTENSION WITH RAC X GUARD
	287022	75 CM TIP EXTENSION WITH RAC X GUARD
	232121	FIXED EXTENSION, HD, 25 CM
	232122	FIXED EXTENSION, HD, 50 CM
	232123	FIXED EXTENSION, HD, 100 CM
	232124	FIXED EXTENSION, HD, 150 CM
	232125	FIXED EXTENSION, HD, 200 CM
	287026	CLEANSHOT POLE GUN, 90 CM W/RAC X (517)
	287027	CLEANSHOT POLE GUN, 180 CM W/RAC X (517)
	244163	CLEANSHOT EXTENSION, 90 CM
	244164	CLEANSHOT EXTENSION, 180 CM
	287030	CLEANSHOT SHUT-OFF VALVE, RAC X (517) (SWIVELS)
	248947	OVERSPRAY CONTROL KIT (LL5321, LL5419, 287030, 243295, 246538)

AIRLESS ACCESSORIES



Use RAC™ X seat and gasket only with RAC™ X switch tips and guards.
Choose the orange gasket for solvent materials.

AIRLESS GASKETS & TIP SEAT KITS

	PART NUMBER	DESCRIPTION
	15A978	RAC X GASKET (BLACK)
	15E557	RAC X GASKET, SOLVENT (ORANGE)
	115524	RAC V GASKET (BLACK)
	108962	RAC IV GASKET (BLACK)
	222155	RAC IV GASKET (BLACK, X20)
	111025	RAC IV GASKET, SOLVENT (YELLOW)
	224082	RAC IV GASKET, SOLVENT (YELLOW, X20)
	15A981	RAC X SEAT
	195558	RAC V SEAT
	181603	RAC IV SEAT
	246453	RAC X SEAT + GASKET (BLACK, X5)
	248936	RAC X SEAT + GASKET, SOLVENT (ORANGE, X5)
	243281	RAC V SEAT + GASKET (BLACK, X5)
	221176	RAC IV SEAT + GASKET (BLACK, X5)
	17P501	TIP SEAT/GASKET - STANDARD, ULTRA HANDHELD (X5)
	17P502	TIP SEAT/GASKET - SOLVENT, ULTRAMAX HANDHELD (X5)



AIRLESS ACCESSORIES



Graco's JetRoller™ is the perfect solution for contractors looking for a flexible lightweight tool designed to dramatically speed up their paint roller projects. It combines the efficiency of airless spraying with the benefits of a rolled finish in a design that virtually eliminates over spray.

JETROLLER

PART NUMBER	DESCRIPTION
24V490	JETROLLER W/ 0.5M EXTENSION & INLINE GUN, 18CM FRAME, CLEANSHOT, RAC X GUARD & 515 TIP
24V491	JETROLLER EURO, 0.5M EXTENSION, INLINE GUN, 25CM FRAME, CLEANSHOT, RAC X GUARD & 721 TIP
24W128	JETROLLER EURO, 0.5M EXTENSION, INLINE GUN, 45CM FRAME, CLEANSHOT, RAC X GUARD & WR1223 TIP
24V492	JETROLLER W/ 0.5M EXTENSION, 18CM FRAME, CLEANSHOT, RAC X GUARD & 515 TIP
24V493	JETROLLER W/ 0.5M EXTENSION, 25CM FRAME, CLEANSHOT, RAC X GUARD & 721
24V829	FRAME JETROLLER, 9"
24V830	FRAME JETROLLER, 18CM
24V831	FRAME JETROLLER, 25CM
24V832	EXTENSION JETROLLER FRAME



On smaller jobs, if conditions such as wind prevent spraying and when an airless finish quality is not required, rolling paint is the alternative.




AIRLESS ROLLERS

AIRLESS ROLLERS & ROLLER COVERS



	PART NUMBER	DESCRIPTION
	244279	FIXED INTERIOR ROLLER 50CM, EVENFLOW HEAD 23CM, COVER 12MM
	244281	TELESCOPIC INTERIOR ROLLER 45-90 CM, EVENFLOW HEAD 23CM, COVER 12MM
	245397	FIXED INTERIOR ROLLER 50CM, EVENFLOW HEAD 23CM, COVER 12MM, INLINE GUN
	6880095	EXTERIOR ROLLER KIT 30CM, GEOSPERSER 23CM, COVER 14MM, INLINE GUN
	6880096	EXTERIOR ROLLER KIT 45CM, GEOSPERSER 23CM, COVER 14MM, INLINE GUN
	6880097	EXTERIOR ROLLER KIT 90CM, GEOSPERSER 23CM, COVER 14MM, INLINE GUN
	098085	TELESCOPIC EXTERIOR ROLLER KIT 45-90CM, GEOSPERSER 23CM, COVER 20MM, INLINE GUN
	098084	TELESCOPIC EXTERIOR ROLLER KIT 90-180CM, GEOSPERSER 23CM, COVER 20MM, INLINE GUN
	107589	INTERIOR ROLLER COVER, EVENFLOW+GEOSPERSER 23CM, COVER 10MM, SYNTHETIC
	107590	INTERIOR ROLLER COVER, EVENFLOW+GEOSPERSER 23CM, COVER 12MM, SYNTHETIC
	107591	INTERIOR ROLLER COVER, EVENFLOW+GEOSPERSER 23CM, COVER 19MM, SYNTHETIC
	186944	INTERIOR ROLLER COVER, EVENFLOW+GEOSPERSER 30CM, COVER 12MM, SYNTHETIC
	186945	INTERIOR ROLLER COVER, EVENFLOW+GEOSPERSER 30CM, COVER 19MM, SYNTHETIC
	098205	EXTERIOR ROLLER COVER, EVENFLOW+GEOSPERSER 23CM, COVER 14MM, REINFORCED
	098206	EXTERIOR ROLLER COVER, EVENFLOW+GEOSPERSER 23CM, COVER 20MM, REINFORCED

AIRLESS ACCESSORIES

AIRLESS ROLLER HEADS & EXTENSIONS

	PART NUMBER	DESCRIPTION
	244271	EVENFLOW ROLLER HEAD (23CM), COVER 12MM, FOR FIXED HD POLES
	244623	EVENFLOW ROLLER HEAD (23CM), COVER 12MM, FOR TELESCOPING POLES
	240005	GEOSPERSE ROLLER HEAD (23CM) NO COVER FIXED
	218935	GEOSPERSE ROLLER HEAD (23CM) NO COVER TELESCOPIC
	224268	GEOSPERSE ROLLER HEAD (30CM) NO COVER TELESCOPIC
	218775	TELESCOPIC ROLLER EXTENSION (45-90 CM) W.244825
	218776	TELESCOPIC ROLLER EXTENSION (90-180 CM) W.244825
	218777	TELESCOPIC ROLLER EXTENSION (180-360 CM) W.244825

AIRLESS ROLLER ADAPTERS

	PART NUMBER	DESCRIPTION
	244825	ADAPTER 1/4" TO 7/8" FOR TELESCOPIC ROLLER EXTENSION
	224399	ADAPTER 45DEG SWIVEL 7/8" (F X M)
	224398	ADAPTER 1/8" TO 7/8" FOR HD EXTENSIONS



OPTIMIZE FINISH QUALITY

In a standard airless system, the paint passes through 3 filters before atomisation: inlet screen, pump filter and the gun filter.

The first filter is the biggest, the last one, the smallest.



AIRLESS INLET STRAINERS, GUN & PUMP FILTERS

AIRLESS INLET STRAINERS




	PART NUMBER	DESCRIPTION
	106114	INLET STRAINER 60 MESH GH ROOF RIGS
	167759	INLET STRAINER, EH 433
	181072	INLET STRAINER, 1" 8 MESH, ULTRA(+), MAX / EM500
	181073	INLET STRAINER, 1/2", ULTRA(+), MAX/EM5000/GMAX
	183770	INLET STRAINER 3/4" 8 MESH, 190ES, ST PRO 395/495
	187119	INLET STRAINER 1 1/2" GM 1030
	189920	INLET STRAINER 1" 8 MESH, MARK V.HD, GMAX 5900HD, GMAX 7900
	235004	INLET STRAINER 3/4-16UNF, 390ST/490ST/395ST/ 495ST
	237820	INLET STRAINER 5/8", 290 EASY
	237840	INLET STRAINER 1 1/4", GM GMAX 10000, HYDRAMAX
	246385	INLET STRAINER 7/8", ST MAX 395/495
	288472	INLET STRAINER 10 MESH, GH, CRUSH-PROOF
	288481	INLET STRAINER 10 MESH W/NUT
	288480	NUT INLET STRAINER 10 MESH
	289131	INLET STRAINER 16 MESH, GH, CRUSH-PROOF
	289132	INLET STRAINER 16 MESH W/NUT
	15V573	INLET STRAINER DUTYMAX CRUSH PROOF

AIRLESS ACCESSORIES

AIRLESS PUMP FILTERS

	PART NUMBER	DESCRIPTION
	246425	FILTER, 30 MESH, GREY
	246384	FILTER, 60 MESH, BLACK
	246382	FILTER, 100 MESH, BLUE
	246383	FILTER, 200 MESH, RED
	243080	FILTER, EASY OUT, 60 MESH, SHORT, BLACK
	243081	FILTER, EASY OUT, 100 MESH, SHORT, BLUE
	243226	FILTER, EASY OUT, 200 MESH, SHORT, RED
	244071	FILTER, EASY OUT, 30 MESH, LONG, GREY
	244067	FILTER, EASY OUT, 60 MESH, LONG, BLACK
	244068	FILTER, EASY OUT, 100 MESH, LONG, BLUE
	244069	FILTER, EASY OUT, 200 MESH, LONG, RED
	257094	FILTER, 40 MESH, FINISHPRO 290

AIRLESS GUN FILTERS

	PART NUMBER	DESCRIPTION
	218131	GUN FILTER, 50 MESH CONTR. + FTX-E (BLUE)
	218133	GUN FILTER, 100 MESH CONTR. + FTX-E (ORANGE)
	256975	GUN FILTER, 150 MESH CONTR. + FTX-E + AA30 (RED)
	24X383	GUN FILTER, 50 MESH BULK (X25)
	24X695	GUN FILTER, 100 MESH BULK (X25)
	257129	EASY-OUT GUN FILTER, 30 MESH (GREY)
	287032	EASY-OUT GUN FILTER, 60 MESH (BLACK)
	19Y355	EASY-OUT COMPACT GUN FILTER, 60 MESH (BLACK)
	287033	EASY-OUT GUN FILTER 100 MESH (BLUE)
	19Y356	EASY-OUT COMPACT GUN FILTER 100 MESH (BLUE)
	257130	EASY-OUT GUN FILTER 200 MESH (RED)
	287034	EASY-OUT GUN FILTER 60 MESH + 100 MESH
	19Y358	EASY-OUT COMPACT GUN FILTER 60 MESH + 100 MESH
	24X696	EASY-OUT GUN FILTER 60 MESH BULK (BLACK, X25)
	24X697	EASY-OUT GUN FILTER 100 MESH BULK (BLUE, X25)
	224455	CONTRACTOR GUN FILTER 50 MESH, FTX-E (X2)
	224456	CONTRACTOR GUN FILTER 100 MESH, FTX-E (X2)
	289922	LANCE FILTER 18 MESH (X2), WITH SCRAPER
	289923	LANCE FILTER 30 MESH (X2), WITH SCRAPER



Pump Armor™ Dual purpose:

1. Undiluted for long term storage: lubricant and anti-freeze in one
2. Diluted in water (20%) for more efficient daily cleaning

AIRLESS LIQUIDS










PART NUMBER	DESCRIPTION
238049	TSL, 118 ML
206994	TSL, 250 ML
206995	TSL, 1 L
206997	TSL, 1L (X12)
206996	TSL, 3.8 L
206998	TSL, 3.8 L (X4)
253574	PUMP ARMOR LIQUID, 1 L
245133	PUMP ARMOR LIQUID, 3.8 L
207428	HYDRAULIC FLUID, 3.8 L
117784	PUMP OIL, 0.133 LITER, FOR RADIAL AXIAL - PUMPS ONLY (G-FORCE)
246377	PUMP OIL, 1 LITER, FOR TRIPLEX PLUNGER - PUMPS ONLY (G-FORCE)



AIRLESS ACCESSORIES





AIRLESS ACCESSORIES VARIOUS

	PART NUMBER	DESCRIPTION
	17C489	BLISTER PACK - PROCONNECT PUMP LOWER
	24Y472	BLISTER PACK - PROXCHANGE GX PUMP
	17J444	GX CARRYING STRAP
	24B250	HOPPER, 5.7L, FP290
	17H171	HOPPER, 5.7L, (GXFF, CLASSIC, STMAX, FP)
	19B968	AIRLESS FINISHING KIT - 5.7L HOPPER, FFLP210 TIP, 3/16" X 7.5M HOSE + 1/8" X 0.9M WHIP, 100 MESH MANIFOLD + GUN FILTER
	287253	TOOL BOX ULTRA MAX II, MARK HD 3-IN-1
	240296	HOSE STRAP (X4)
	15F446	GUN TOOL
	70783001001	THICKNESS GAUGE, 25 - 2000
	224457	SWIVEL 1/4" (204940 IN BLISTER)
	24W090	PROGUARD 230V, CEE 7/7, SHUKO
	24W755	PROGUARD 230V, IEC320, MULTI-CORD
	289535	MOISTURE SEPERATOR KIT
	119799	CLEANING BRUSH
	17Y297	CONTRACTOR PC PROCONNECT REPLACEMENT CARTRIDGE
	20A163	DEWALT® 54V 6.0 AH FLEXVOLT BATTERY
	20A166	DEWALT® FAN-COOLED FAST CHARGER



Use the container suction set, pumping directly from a 500 or 1000 liter container delivered by your material supplier: extremely effective, especially if all built into a van or trailer.

AIRLESS SUCTION KITS



	PART NUMBER	DESCRIPTION
	246386	30L SUCTION TUBE KIT, 3/4" HOSE, PUMP 1 1/4", STRAINER (STMAX)
	248216	30L SUCTION TUBE KIT, 1" HOSE, PUMP 1 5/16" (UMII, GMAX)
	248390	20-200L SUCTION TUBE KIT, 1"X1M HOSE, PUMP 1 5/16" (UMII, GMAX)
	287541	200L SUCTION TUBE KIT, 1"X1.5M HOSE, PUMP 1 5/16", PRIME HOSE (UMII, GMAX)
	289669	200L SUCTION TUBE KIT, 1"X1.5M HOSE, PUMP 1" NEW VALVE, PRIME HOSE (MARK VII/X, GMAX II 7900HD, DUTYMAX)
	243167	CONTAINER SUCTION KIT, 1"X1.5M HOSE, PUMP 1", DIN C-CLAMP (UMII, MARK, GMAX, DUTYMAX)
	098265	CONTAINER SUCTION KIT, 3/4"X1.8M HOSE, PUMP 3/4", DIN C-CLAMP (UM)
	24M445	CONTAINER SUCTION KIT, 2"X0,6M HOSE, PUMP 1", DIN C-CLAMP (UMII, MARK, GMAX, DUTYMAX)
	25D091	CONTAINER SUCTION KIT, 2"X0,6M HOSE, CAM (GH1017/2570/5040, DUTYMAX675)
	17Y659	CONTAINER SUCTION KIT, SOLVENT, 2"X0,6M HOSE, CAM (GH1017/2570/5040, DUTYMAX675)
	287936	200L SUCTION TUBE KIT, NON-SOLVENT, 2"X2M HOSE, STRAINER, PUMP CAM+1 1/2" (GH1017/2570/5040/833)
	245468	200L SUCTION TUBE KIT, 1 1/4"X2M HOSE, PUMP 1 1/4" (GH733)
	16V063	200L SUCTION TUBE KIT, 1"X1,8M HOSE, PUMP DIXON VALVE (GH933)
	287916	200L SUCTION TUBE KIT, NON-SOLVENT, 1 1/2"X2M HOSE, STRAINER, PUMP 1 1/2" (GH833)
	287915	200L SUCTION TUBE KIT, SOLVENT, 1 1/2"X2M HOSE, STRAINER, PUMP 1 1/2" (GH833)

AIRLESS ACCESSORIES

Simple conversion switching a gas or electric motor kit is quickly done by one person on a job site – no tools required.



AIRLESS MOTOR KITS

	PART NUMBER	DESCRIPTION
	248943	HONDA GX160 - 160CC
	248944	HONDA GX200 - 200CC
	248945	HONDA GX270 - 270CC
	248946	ELECTRIC MOTOR- 3 HP (2.2 KW)
	24M669	DUTYMAX KIT, ELECTRIC MOTOR, 7.3 HP



Endurance™ Vortex MaxLife and MaxLife Extreme™:
the longest lasting pumps ever built.

AIRLESS PROCONNECT PUMP LOWERS (VORTEX / MAXFLO 2) & MAXLIFE RODS

AIRLESS PROCONNECT PUMP LOWERS (VORTEX / MAXFLO 2)

PART NUMBER	DESCRIPTION
17H823	ULTRA MAX II 695/795 PROCONTRACTOR & GMAX II 3900 PROCONTRACTOR - VORTEX PUMP LOWER - MAXLIFE
17H824	ULTRA MAX II 1095 PROCONTRACTOR & GMAX II 5900 PROCONTRACTOR - VORTEX PUMP LOWER - MAXLIFE
17H826	ULTRA MAX II 1095 IRONMAN & GMAX II 5900 IRONMAN - VORTEX PUMP LOWER - MAXLIFE EXTREME
17H832	MARK IV PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE
17H833	MARK V PROCONTRACTOR & GMAX II 5900 HD PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE
17H834	MARK VII PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE
17H835	MARK X PROCONTRACTOR & GMAX II 7900 HD PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE
17H825	GMAX II 7900 PROCONTRACTOR - VORTEX PUMP LOWER - MAXLIFE
17H836	MARK V IRONMAN - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE EXTREME
17H892	MARK VII IRONMAN - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE EXTREME
17H837	MARK X IRONMAN & GMAX II 7900 HD IRON MAN - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE EXTREME
17H827	GMAX II 7900 IRONMAN - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE EXTREME
17H828	MARK IV STANDARD - PUMP LOWER - MAXFLO 2
17H829	MARK V STANDARD & GMAX II 5900 HD STANDARD - PUMP LOWER - MAXFLO 2
17H830	MARK VII STANDARD - PUMP LOWER - MAXFLO 2
17H831	MARK X STANDARD - PUMP LOWER - MAXFLO 2
25E689	GMAX II 7900 HD STANDARD - PUMP LOWER - MAXLIFE - MAXFLO 2

AIRLESS ACCESSORIES

AIRLESS MAXLIFE VORTEX RODS



PART NUMBER	DESCRIPTION
17H876	MAXLIFE VORTEX ROD, ULTRA MAX II 695/795 PROCONTRACTOR & GMAX II 3900 PROCONTRACTOR
17H877	MAXLIFE VORTEX ROD, ULTRA MAX II 1095 PROCONTRACTOR & GMAX II 5900 PROCONTRACTOR
17H879	MAXLIFE EXTREME VORTEX ROD, ULTRA MAX II 1095 IRONMAN & GMAX II 5900 IRONMAN
17H880	MAXLIFE EXTREME VORTEX ROD, GMAX II 7900 IRONMAN
17H881	MAXLIFE VORTEX ROD, MARK IV PROCONTRACTOR
17H882	MAXLIFE VORTEX ROD, MARK V PROCONTRACTOR & MARK VII PROCONTRACTOR & G-MAX II 5900 HD PROCONTRACTOR
17H883	MAXLIFE VORTEX ROD, MARK X PROCONTRACTOR & G-MAX II 7900 HD PROCONTRACTOR
17H878	MAXLIFE VORTEX ROD, GMAX II 7900 PROCONTRACTOR
17H884	MAXLIFE EXTREME VORTEX ROD, MARK V IRONMAN & MARK VII IRONMAN
17H885	MAXLIFE EXTREME VORTEX ROD, MARK X IRONMAN & GMAX II 7900 HD IRON MAN

QUIKPAKS






PART NUMBER	DESCRIPTION
17H838	ULTRA MAX II 695/795 STANDARD/PREMIUM, ULTRA MAX II 695 STANDARD, ULTRA MAX 795, GMAX II 3900 STANDARD, GMAX II 3900 PROCONTRACTOR, GMAX II 3900 STANDARD/PREMIUM, GMAX 3900, LINELAZER 3900
17H841	ULTRA MAX II 695/795 PROCONTRACTOR
17H839	ULTRA MAX II 1095 STANDARD/PREMIUM, GMAX II 5900 STANDARD, GMAX II 5900 HD PREMIUM, GMAX 5900, LINELAZER 5900
17H842	ULTRA MAX II 1095 PROCONTRACTOR SERIES, GMAX II 5900 PROCONTRACTOR
17H843	ULTRA MAX II 1095 IRONMAN, GMAX II 5900 IRONMAN
17H845	MARK IV STANDARD
17H849	MARK IV PROCONTRACTOR
17H846	MARK V STANDARD, GMAX 5900 HD STANDARD
17H850	MARK V PROCONTRACTOR/IRONMAN, GMAX II 5900 HD PROCONTRACTOR/IRONMAN
17H847	MARK VII STANDARD
17H851	MARK VII PROCONTRACTOR/IRONMAN
17H848	MARK X STANDARD
17H852	MARK X PROCONTRACTOR/IRONMAN, GMAX II 7900 HD STANDARD/PROCONTRACTOR/IRONMAN
17H840	GMAX II 7900 STANDARD, GMAX II 7900 PROCONTRACTOR
17H844	GMAX II 7900 IRONMAN



PROCONNECT
 No tools pump removal. No tools pump installation. No tools rod adjustment
 => On the job!
 => In seconds!

AIRLESS PROCONNECT PUMP LOWERS, MAXLIFE SLEEVES & RODS, PUMP FILTERS

AIRLESS PROCONNECT PUMP LOWERS

	PART NUMBER	DESCRIPTION
	248204	ULTRA MAX II 695/795 STANDARD - PUMP LOWER
	248205	ULTRA MAX II 1095 STANDARD - PUMP LOWER
	16X414	ULTRA MAX II 695/795 & GMAX II 3900 PROCONTRACTOR - PUMP LOWER - PROCONNECT 2
	16X419	ULTRA MAX II 1095 & GMAX II 5900 PROCONTRACTOR - PUMP LOWER - PROCONNECT 2
	16X420	ULTRA MAX II 1095 & GMAX II 5900 IRONMAN - PUMP LOWER - PROCONNECT 2 - MAXLIFE
	16X428	MARK IV STANDARD - PUMP LOWER
	16X429	MARK V STANDARD & GMAX II 5900 HD STANDARD - PUMP LOWER
	16Y601	MARK VII STANDARD - PUMP LOWER
	16X425	MARK X STANDARD & GMAX II 7900 HD STANDARD - PUMP LOWER - MAXLIFE
	16X418	MARK IV PROCONTRACTOR - PUMP LOWER - PROCONNECT 2
	16X421	MARK V & GMAX II 5900 HD PROCONTRACTOR - PUMP LOWER - PROCONNECT 2
	16Y602	MARK VII PROCONTRACTOR - PUMP LOWER - PROCONNECT 2
	16X427	MARK X PROCONTRACTOR & GMAX II 7900 HD PROCONTRACTOR/IRONMAN - PUMP LOWER - PROCONNECT 2 - MAXLIFE
	16Y599	MARK V IRONMAN - PUMP LOWER - PROCONNECT 2 - MAXLIFE
	16Y598	GMAX II 3900 STANDARD - PUMP LOWER
	16Y706	GMAX II 5900 STANDARD - PUMP LOWER
	16X423	GMAX II 7900 STANDARD - PUMP LOWER - MAXLIFE
	16X426	GMAX II 7900 PROCONTRACTOR - PUMP LOWER - PROCONNECT 2 - MAXLIFE
	288467	GH200 - PUMP LOWER, PROCONNECT
	288468	GH230/300 - PUMP LOWER, PROCONNECT

AIRLESS ACCESSORIES

PART NUMBER	DESCRIPTION
17R044	APX 6200 PUMP LOWER, CHROME
17R042	APX 8200 PUMP LOWER, CHROME
17N693	APX 6200 PUMP LOWER, MAXLIFE
17N694	APX 8200 PUMP LOWER, MAXLIFE
24W999	DUTYMAX - PUMP LOWER, STANDARD SERIES
24X001	DUTYMAX - PUMP LOWER, PROCONTRACTOR SERIES
16U755	GH 933 - PUMP LOWER
16U751	GH 1017 - PUMP LOWER
16U752	GH 2570 - PUMP LOWER
16U754	GH 5040 - PUMP LOWER



AIRLESS MAXLIFE SLEEVES & RODS

PART NUMBER	DESCRIPTION
17H864	MAXLIFE SLEEVE, ULTRA MAX II 695/795 PROCONTRACTOR & MARK IV PROCONTRACTOR & GMAX II 3900 PROCONTRACTOR
257031	MAXLIFE SLEEVE, ULTRA MAX II 1095 PROCONTRACTOR/IRONMAN, MARK V/VII PROCONTRACTOR/IRONMAN & GMAX II 5900 PROCONTRACTOR/IRONMAN
249121	MAXLIFE SLEEVE, MARK X STANDARD/PROCONTRACTOR/IRONMAN, GMAX 7900 (HD) STANDARD/PROCONTRACTOR/IRONMAN
287817	MAXLIFE SLEEVE (GH230/300)
249119	MAXLIFE ROD EH/GH200
287816	MAXLIFE ROD GH 230/300
287832	MAXLIFE ROD GH833
288469	MAXLIFE ROD (GH200)
288470	MAXLIFE ROD (GH230/300)





TEXTURE APPLICATORS & GUNS

PART NUMBER	DESCRIPTION
289605	HD BLUE PLASTER GUN WITH RAC X GUARD AND 531 TIP
245820	HD INLINE PLASTER GUN
245924	HOPPER GUN COMPLETE (5.5 L CAPACITY)
24S155	RTX GUN NON BLEEDER
256383	LANCE T-MAX 506/657
17Z054	T-MAX LANCE 1" CAM (M), RAC X
17Z128	FREE FLO INLINE GUN 1" CAM (M), ROUND NOZZLES AND FINE FINISH KIT
17Y910	STX GUN 1" CAM (M)*
24B944	POLE APPLICATOR 1" CAM (M), 1M, NO BALL VALVE (24C414)
24B945	FLEXHEAD APPLICATOR 1" CAM (M), 1M, NO BALL VALVE (24C414)
17Y907	INLINE GUN 1" CAM (M)
24C414	BALL VALVE SHUTOFF 1" CAM MXF (17Z128, 24B944, 24B945)
244052	ACCESSORY KIT, AIR ATOMIZER WITH HOSE
244223	ACCESSORY KIT, AIR ATOMIZER WITHOUT HOSE
287995	FILTER HOUSING ASSEMBLY KIT
289611	HD BLUE PLASTER GUN, RAC X (427,531), 3/8"X15M + WHIP 1/4"X0.9M
289585	KIT, HOSE 1/2, TEXTURE
24S135	RTX5500 AIR SPRAY TRIGGER GUN

TEXTURE ACCESSORIES



Always adapt the nozzle to the material.

TEXTURE AIR NOZZLES

	PART NUMBER	DESCRIPTION
	234153	TEXSPRAY AIR NOZZLES KIT (WHITE 6MM/GRAY 8 MM, BLACK 12 MM)
	234538	TEXSPRAY NOZZLE-FINE-BEIGE
	234277	TEXSPRAY NOZZLE-SMALL-WHITE
	234278	TEXSPRAY NOZZLE-MEDIUM-GRAY
	234279	TEXSPRAY NOZZLE-LARGE-BLACK
	15C883	3MM RTX & GTX ROUND AIR NOZZLE
	15C884	4MM RTX & GTX ROUND AIR NOZZLE
	15C885	6MM RTX & GTX ROUND AIR NOZZLE
	15C886	8MM RTX & GTX ROUND AIR NOZZLE
	15C887	10MM RTX & GTX ROUND AIR NOZZLE
	15C888	12MM RTX & GTX ROUND AIR NOZZLE
	248888	3MM TMX ROUND AIR NOZZLE
	248524	4MM TMX ROUND AIR NOZZLE
	248525	6MM TMX ROUND AIR NOZZLE
	248526	8MM TMX ROUND AIR NOZZLE
	248527	10MM TMX ROUND AIR NOZZLE
	24S142	WIDETEX KIT
	24S143	WIDETEX KIT, HARDENED
	287227	FINE FINISH KIT + FF DISKS
	18A649	NOZZLES GLUE KIT, 6+12 MM
	18A652	NOZZLE GLUE, 6MM
	18A653	NOZZLE GLUE, 12MM
	17Z635	WIDETEX FF KIT, HARDENED (STX)
	18A155	WIDETEX FF KIT, HARDENED (LANCE, FREEFLO)










OPTIMIZE PRODUCTIVITY – feeds the pump using gravity.
Benefits when using thick materials such as plasters and fillers.
Large capacity enables working for longer periods of time before refilling.

TEXTURE ACCESSORIES

	PART NUMBER	DESCRIPTION
	287987	SERVICE HOPPER FOR PAINT AND PLASTER
	17P196	VIBRA FLO SERVICE HOPPER FOR PAINT AND PLASTER, 230V EU
	17P002	VIBRA FLO SERVICE HOPPER FOR PAINT AND PLASTER, 230V IT, DK, CH
	289587	BAG ROLLER SYSTEM (SERVICE HOPPER 287987, 17P196, 17P002)
	289823	BAG ROLLER SYSTEM (T-MAX 506/657 - YEAR -2019)
	17Z539	BAG ROLLER SYSTEM (T-MAX 506/657/6912 - YEAR 2019+)
	17R172	APX BAG ROLLER SYSTEM (APX)
	17R173	APX BAG ROLLER SYSTEM (T-MAX 506/657 - YEAR -2019)
	17Z186	APX BAG ROLLER SYSTEM (T-MAX 506/657/6912 - YEAR 2019+)
	17R174	APX BAG ROLLER SYSTEM (SERVICE HOPPER 287987, 17P196, 17P002)
	289922	LANCE FILTER 18 MESH (X2), WITH SCRAPER
	289923	LANCE FILTER 30 MESH (X2), WITH SCRAPER
	277789	LANCE FILTER SCRAPER
	15U047	STRAINER, HOPPER
	121543	SCRAPER TEXTURE
	248515	CLEANING SPONGE BALLS 1" (X5)
	287314	ROTOFLEX PUMP HOSE KIT
	287328	EXTERNAL COMPRESSOR CONNECTION KIT
	17R720	X-FLO HOSE REEL (APX)

TEXTURE ACCESSORIES

	PART NUMBER	DESCRIPTION
	25D491	FASTFINISH COMPRESSOR, 230V EU, IT, DK, CH, UK
	25D497	G-TEX GRAVITY-FED GUN
	25D496	FASTFINISH PRESSURE-BOOSTED GUN
	26A563	AIR HOSE 3/8" X 15M
	17Z185	AIR ASSISTED NOZZLES AND HOSE KIT FOR LANCE
	17Z144	SIGNAL CABLE + AIR HOSE, 13M
	17Z148	SIGNAL CABLE + AIR HOSE, 18M
	17Z151	SIGNAL CABLE + AIR HOSE, 33M
	17Z303	AIR HOSE 3/8" X 13M
	17Z304	AIR HOSE 3/8" X 18M
	17Z305	AIR HOSE 3/8" X 33M
	17Z157	REMOTE SWITCH, 18M
	18A682	REMOTE SWITCH, 0.25M
	17Z158	REMOTE SWITCH, 33M
	15Y525	SIGNAL CABLE EXTENSION, 15M
	17Y905	PRIME VALVE KIT, 1" CAM
	17Z414	VIBRA-FLO (T-MAX)



Discover the industry's first cordless, battery-powered loading pump. It is designed to fill all manual, automatic taping and finishing tools easily. Get the most out of your equipment with below accessories.

POWERFILL

PART NUMBER	DESCRIPTION
18D159	35 CM HI-RISE FILL TUBE COMPLETE KIT (PRO OUTLET AND BOX FILLER INCLUDED)
18D160	58 CM HI-RISE FILL TUBE COMPLETE KIT (PRO OUTLET AND BOX FILLER INCLUDED)
18D164	35 CM HI-RISE FILL TUBE AND BOX FILLER KIT (NO PRO OUTLET INCLUDED)
18D165	58 CM HI-RISE FILL TUBE AND BOX FILLER KIT (NO PRO OUTLET INCLUDED)
18D161	TAPER GOOSENECK FILL TUBE COMPLETE KIT (19L, PRO OUTLET INCLUDED)
18D162	XL TAPER GOOSENECK FILL TUBE COMPLETE KIT (115L, PRO OUTLET INCLUDED, PRO XL VERSION ONLY)
18D086	TAPER GOOSENECK FILL TUBE ONLY KIT (19L, NO PRO OUTLET INCLUDED)
18D103	XL TAPER GOOSENECK FILL TUBE ONLY KIT (115L, NO PRO OUTLET INCLUDED, PRO XL VERSION ONLY)
18D168	STANDARD HORIZONTAL OUTLET WITH BOX FILLER
18D169	BOX FILLER KIT
18D163	PRO OUTLET ELBOW KIT (REQUIRED TO MOUNT HI-RISE TUBE AND GOOSENECK)
18D166	XL PUMP CONVERSION KIT (XL ADJUSTABLE FOOT, XL PUMP CYLINDER BODY AND PUMP ROD WITH UPPER PISTON INCLUDED)
18D167	CLEANING HOSE FLUSH KIT (OUTLET FITTING, HOSE, 2 CLEANING BALLS INCLUDED)
248515	SPONGE BALL CLEAN OUT KIT (QTY. 5, 30 MM)
18D170	INLET FILTER KIT, 10 MESH
17P560	DEWALT® 18V MAX LITHIUM-ION CHARGER*
17P557	DEWALT® 18V 2.0 AH MAX LITHIUM-ION BATTERY

TEXTURE ACCESSORIES



TEXTURE ACCESSORIES



The new T-Max modular system allows you to choose your own pump, hopper and accessories. Or you select a predefined configuration from Graco (see page 20/21 for more details)

TEXTURE T-MAX MODULES

	PART NUMBER	DESCRIPTION
	17Z169	T-MAX 506 PUMP MODULE, 230V EU
	17Z291	T-MAX 506 PUMP MODULE, 230V IT, DK, CH
	17Z170	T-MAX 506 PUMP MODULE, 110V UK
	17Z171	T-MAX 657 PUMP MODULE, 230V EU
	17Z292	T-MAX 657 PUMP MODULE, 230V IT, DK, CH
	17Z172	T-MAX 657 PUMP MODULE, 110V UK
	17Z173	T-MAX 6912 PUMP MODULE, 230V EU
	17Z293	T-MAX 6912 PUMP MODULE, 230V IT, DK, CH
	17Z174	T-MAX 6912 PUMP MODULE, 110V UK
	17Z182	T-MAX HOPPER MODULE (4 BAGS)
	17Z183	T-MAX HOPPER MODULE (6 BAGS)

TEXTURE ACCESSORIES



Introducing Graco's complete line of professional smoothing blades. Designed for drywall and plaster finishing, these blades deliver a fast and smooth finish with minimal waste or sanding. Experience the most comfortable way to finish for yourself.

TEXTURE SMOOTHING BLADES

PART NUMBER	DESCRIPTION
-------------	-------------



18C676	DRYWALL KIT (DK 42) SET W/ CARRY CASE, SMOOTHING BLADE 25CM, 35CM, 45CM, 60CM, JOINT KNIFE 10CM, 15CM, EXTENSION HANDLE 100CM
--------	---

18C677	SMOOTHING KIT (SK 60) SET W/ CARRY CASE, SMOOTHING BLADE 25CM, 35CM, 45CM, 60CM, 80CM, 100 CM, EXTENSION HANDLE 200CM
--------	---



18C680	JOINT KNIFE - K10, 10CM (4")
--------	------------------------------



18C681	JOINT KNIFE - K15+, 15CM (6")
--------	-------------------------------



18C682	SMOOTHING BLADE - B15, 15CM (6")
--------	----------------------------------




18C683	SMOOTHING BLADE - B25, 25CM (10")
--------	-----------------------------------



18C684	SMOOTHING BLADE - B35, 35CM (14")
--------	-----------------------------------



18C685	SMOOTHING BLADE - B45, 45CM (18")
--------	-----------------------------------



18C686	SMOOTHING BLADE - B60, 60CM (24")
--------	-----------------------------------



18C687	SMOOTHING BLADE - B80, 80CM (32")
--------	-----------------------------------



18C688	SMOOTHING BLADE - B100, 100CM (40")
--------	-------------------------------------



18C678	EXTENSION - E100, 50-100CM (20-40")
--------	-------------------------------------

18C679	EXTENSION - E200, 100-200CM (40-80")
--------	--------------------------------------






HEAVY DUTY ACCESSORIES



Increase your jobsite efficiency in the heavy duty market with our selected heavy duty accessories where higher pressures, longer hose lengths and increased productivity help you to stand out!

HEAVY DUTY ACCESSORIES

	PART NUMBER	DESCRIPTION
	25D229	500 BAR ROOFING JETROLLER, 1M EXTENSION & XHF GUN 3/8", ADJUSTABLE 22,5-45CM FRAME, XHD GUARD & XHD935+939
	25D227	XTR7 HF GUN, XHD (429,527,531), 1/2"X15M + WHIP HOSE 3/8"X3M - 500 BAR
	25D228	XTR7 HF GUN, 0,5M EXTENSION, XHD (429,527,531), 1/2"X15M (3X) + WHIP HOSE 3/8"X3M - 500 BAR
	16U757	HD BLUE PLASTER GUN, 0,75M EXTENSION, RAC X (519,531), 1/2"X15M (5X) + WHIP HOSE 3/8"X3M - 276 BAR
	16U759	FLEX PLUS GUN, 0,5M EXTENSION, XHD (517,531), 1/2"X15M (5X) + WHIP HOSE 3/8"X3M + WHIP HOSE 1/4"X0,9M - 276 BAR
	16V015	XTR7 GUN, XHD (519), 3/8"X15M + WHIP HOSE 1/4"X1,8M - 500 BAR
	16U761	XTR7 GUN, EXTENSION 0,5M, XHD (519,531), 3/4"X15M (4X) + 1/2"X15M + WHIP HOSE 3/8"X3M - 500 BAR
	17B825	XHF GUN, EXTENSION 0,5M, XHD (429,531), 3/4"X15M (4X) + 1/2"X15M + WHIP HOSE 3/8"X3M - 500 BAR
	25D078	SERVICE HOPPER, 2" CAM LOCK, 2"X0,5M SUCTION HOSE (DUTYMAX 675, GH933/733/1017/2570/5040)
	16U505	STAINLESS STEEL HOPPER KIT (GH733,933,5040)
	17U148	HD EXTENSION 1M, 500 BAR
	25D091	SUCTION HOSE CAM LOCK, WATERBORN
	17Y659	SUCTION HOSE CAM LOCK, SOLVENT

The needs of your job, translated into Graco's G-Force II pressure washers. From occasional up to frequent and long lasting jobs, our Direct Driven and Belt Driven pressure washers provide it all.



CLEANING

G-FORCE II








	PART NUMBER	DESCRIPTION
	244785	G-FORCE GUN ONLY (345 BAR)
	244779	G-FORCE GUN 50 CM (345 BAR)
	127469	G-FORCE GUN 91 CM (THREAD) (220 BAR)
	244784	G-FORCE GUN 91 CM (345 BAR)
	16X668	G-FORCE EXTENSION 180 CM (275 BAR)
	116564	G-FORCE TELE-EXTENSION 180 – 550 CM (275 BAR)
	16X669	G-FORCE TELE-EXTENSION 180 – 730 CM (275 BAR)
	16X670	G-FORCE BELT FOR TELE-EXTENSIONS
	16X665	HOSE REEL KIT, 30 M CAPACITY (240 BAR)
	16X664	HOSE REEL KIT, 30 M CAPACITY (345 BAR)
	16E286	HOSE 3/8" X 7,5 M THREAD (240 BAR)
	127534	HOSE 3/8" X 15 M THREAD (240 BAR)
	244783	HOSE 3/8" X 15 M QUICK DISCONNECT (290 BAR)
	16X667	HOSE 3/8" X 30 M QUICK DISCONNECT (275 BAR)
	16X666	HORIZONTAL SURFACE CLEANER, 45 CM (275 BAR)
	16X680	GUTTER CLEANING ATTACHMENT (345 BAR)
	16X679	BALL VALVE WATER SHUTOFF (275 BAR)
	801009	COUPLER FOR WAND EXTENSIONS, 1/4"
	801568	QD COUPLER 3/8" (M) X 3/8" NPT(F) STEM
	801569	QD COUPLER 3/8" (F) X 3/8" NPT(F) COUPLER
	16X682	G-FORCE PARTS BOX (345 BAR)
	287643	GARDENA® WATER CONNECTION ADAPTER (BRASS)

PROFESSIONAL CLEANING ACCESSORIES



High Production Airless Sprayers Designed Specifically to Spray-Apply Chemicals to Sanitise, Disinfect and Deodorise Faster. Keep your SaniSpray HP sprayers in top performance with these time saving accessories and repair parts designed specifically for disinfecting, sanitising, and deodorising.

SANISPRAY™

	PART NUMBER	DESCRIPTION
	17F005	1.25 L (42 OZ) FLEXLINER BAGS, 3-PACK
	17P549	1.25 L (42 OZ) FLEXLINER BAGS, 25-PACK
	17P553	EXTRA 1.25 L (42 OZ) FLEXLINER CUP SYSTEM – INCLUDES CUP SUPPORT, LINER, LID, PLUG
	17P557	DEWALT®* 18V MAX LITHIUM-ION BATTERY
	17P560	DEWALT® 18V MAX LITHIUM-ION CHARGER
	17P573	HANDHELD RAC X GUARD – FOR USE WITH SANISPRAY HP 20 SPRAYERS
	25R872	SANISPRAY HP TIPSEALS 5-PACK ESSENTIAL SEAL BETWEEN GUN AND TIP THAT ELIMINATES LEAKING
	25T282	SANISPRAY HP TIP EXTENSION 40 CM (15")
	17P554	60-MESH FILTER, 3-PACK
	17P712	VACUVALVE AIR CAPS, 3-PACK
	16A005	1/4" X 1/4" (6.4 MM X 6.4 MM) STAINLESS STEEL HOSE FITTING
	257094	PUMP FILTER – FOR USE WITH SANISPRAY HP 65
	112133	INLET STRAINER – FOR USE WITH SANISPRAY HP 65
	235004	INLET STRAINER – FOR USE WITH SANISPRAY HP 130
	25T289	SANISPRAY HP SPRAY GUN
	19Y962	SANISPRAY HP 20 CORDED TRIAX™ COMPLETE PUMP REPLACEMENT
	19Y967	SANISPRAY HP 20 CORDLESS TRIAX COMPLETE PUMP REPLACEMENT
	25T784	SANISPRAY HP 20 ELECTROSTATIC TRIAX COMPLETE PUMP REPLACEMENT
	25T781	SANISPRAY PROPACK

* DEWALT® and the DEWALT Logo are trademarks of DEWALT Industrial Tool Co. and are used under licence.

Poles, guns and heads are modules that can be assembled to fit specific needs using the right swivels and adapters.




SWIVELS, ADAPTERS AND NIPPLES

	PART NUMBER	DESCRIPTION
GUN SWIVELS		M X F STRAIGHT SWIVEL UNION THREAD, MAX. W. PRESS.-BAR, SEALMAT-L, SWIVEL MAT-L
	244515	1/4" NPT(M) X 1/4" NPSM(F), 210, LEATHER, CS
	223341	1/4" NPT (M) X 1/4" NPSM(F), 250, PTFE, CS
	239663	1/4" NPT(M) X 1/4" NPSM(F), 250, LEATHER, CS
	207947	1/2" NPT(M) X 1/2" NPT(F), 410, CS ZINC PLATED
SWIVEL UNIONS		M X F STRAIGHT SWIVEL UNION THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L
	156823	1/4" NPT(M) X 1/4" NPT(F), 690, CS
	157705	1/4"NPT (M) X 3/8" NPSM(F), 515, CS
	190451	1/2" NPT(M) X 1/2" NPSM(F), 206, CS
		F X F STRAIGHT SWIVEL UNION THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L
	159153	1/4" NPT(F) X 3/8" NPT(F), 515, CS
	156173	3/8" NPSM(F) X 3/8" NPT(F), 510, CS
	161077	1/2"NPT(F) X 3/8" NPSM(F), 240, CS
	155865	1/2" NPSM(F) X 1/2" NPT(F), 500, CS
HEX NIPPLE		M X M STRAIGHT NIPPIE THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L
	162453	1/4" NPSM x 1/4" NPT NPSM, 515, CS
		
	156971	1/4" NPT x 1/4" NPT, 515, CS
	156849	3/8" NPT x 3/8" NPT, 500, CS
	196178	3/8" NPSM x 3/8" NPT, 350, CS WITH E-NICKEL
	157350	3/8" NPT x 1/4" NPT, 413, CS
	158491	1/2" NPT X 1/2" NPT, 510, CS

GENERAL PARTS

PART NUMBER	DESCRIPTION
REDUCING NIPPLES: M X M	
191872	1/8" NPT x 1/4" NPSM, 345, CS
165274	1/4" NPT x 11/16"-27 UNS, 345, CS
164856	3/8" NPT x 1/4" NPT, 550, SS
164672	3/8" NPT x 1/4" NPSM, 413, CS
196177	3/8" NPT x 1/4" NPSM, 415, CS WITH E-NICKEL
161800	3/4" NPT x 3/8" NPSM, 275, CS
196142	3/4" NPT x 1/2" NPT, 345, CS
158979	1/2" NPT x 3/8" NPT, 375, CS
159239	1/2" NPT X 3/8" NPT, 510, CS
ADAPTERS: M X F	
THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L	
244825	1/4" NPT, 7/8"-14 UNP, 230, CS
104969	1/2" NPT, 3/4" NPT, 275, CS
181085	7/8"-14 UNF, 11/16"- 16 UNEF, 345, CS, METRIC GUN TO GRACO GUARD
181084	7/8"-14 UNF, 3/4"NPT, 345, CS
164120	11/16"- 16 UNEF, 7/8"-14 UNF-2B, 345, CS: GRACO GUN TO METRIC GUARD
159841	ADAPTER, 1/4 NPT(F) X 3/8 NPT(M)
PIPE TEES: F X F X M	
THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L	
106228	2 X 1/4" NPT(F) X 1/4" NPT(M), 210, BRASS
108673	2 X 3/8" NPT(F) X 3/8" NPT(M), 275, SS
111337	2 X 3/4" NPT(F) X 3/4" NPT(M), 275, CS
BALL VALVES	
THREAD, MAX . W. PRESS .-BAR , PACKING MAT -L	
239280	1/4" NPT (MBE), 350, FLUOROELASTOMER
238694	3/8" NPT (MBE), 350, PTFE/SS
223522	1/4" NPT(M) X DRILLED PLUG, 350, FLUOROELASTOMER
224441	3/8" NPT(M) X DRILLED PLUG, 350, FLUOROELASTOMER
238967	3/8"M NPT (MBE), 350, PTFE WITH PEEK SEAT




TIPS

Sorted per type of tip,
including all available sizes

1. UNDERSTANDING TIPS

The right tip:

- Increases your performance
- Improves the quality of your work
- Keeps your costs under control



2. WHAT DOES A TIP TELL YOU? CRACKING THE CODE

The **colour** tells you which application you can use the tip for

- guarantees the best possible finish under lowest pressure for fine finish and wall paints
- for painting walls, suitable for paint spraying in general
- for thin plastering and less fluid materials
- for marking roads



The **first number** indicates the fan width of the tip

The first number stands for the width of the spray distribution (the fan width). It matches the angle you are spraying at. If the number is 5, then you are spraying at an angle of 50°. Multiply that number by 5 and you have a fan width if you hold the pistol 30 cm from the surface.

$$5 \times 5 = 25 \text{ fan width}$$

The **last two numbers** indicate the spray orifice of the tip

The last two numbers of the tip show the size of the spray orifice, indicated in one thousandths of an inch. The higher the number, the greater the flow with which you can spray. For example, a '517' tip enables a greater flow than a '515' tip.

'17' matches an orifice of 0.017 inch or 0.43 mm.


3. ADJUSTING TO THE RIGHT TIP

By experimenting with various tips, you become experienced and can easily decide which tip is the best one for your application.

TOO MUCH PAINT?




0.017" =
1.2 litres/minute



1) Use a smaller tip orifice
15 instead of 17




2) Increase the spray angle
7 instead of 5



NOT ENOUGH PAINT?




0.017" =
1.17 litres/minute



1) Use a larger tip orifice
19 instead of 17




2) Decrease the spray angle
3 instead of 5



TIP SELECTION GUIDE

4. INCREASING PRODUCTIVITY WITH TIPS



5. A TIP ON TIPS

WHAT IS TIP WEAR?

1 + 2

FAN WIDTH DECREASES

= more passes necessary
= more labour

ORIFICE SIZE INCREASES

= more paint comes out
= more material cost

=

TWICE THE LABOUR!

+ 30% More paint for the same surface!

WHAT HAPPENS WHEN A TIP GETS WORN OUT?

Piston work pressure and abrasive material are the two main causes of worn-out tips.

The fan width decreases:

> More spray movements
are necessary
= more work

Greater tip orifice:

> More paint comes out
of the piston
**= more costs for
materials**

twice as much work

+ 30% more paint for the same surface

NEW



WORN-OUT

TIP WEAR CHART:

NEW

1st digit x 5
= fan width*

5 cm
10 cm
15 cm
20 cm
25 cm
30 cm
35 cm
40 cm
60 cm

WORN





















Time
to change!

3 cm
7 cm
10 cm
15 cm
20 cm
25 cm
30 cm
35 cm
55 cm

*at 30 cm spraying distance

TIP SELECTION GUIDE

SPRAY TIP SELECTION GUIDE

VISCOSITY	MATERIAL EXAMPLES	SUGGESTED TIPS SIZES		AIRLESS TIPS CHART		GUARDS	
FINE							
20-30% solids	Dyes	007-009	008-010	163xxx (silver)		220251	
	Stains	009-011	008-012	163xxx (black)		RAC® X - 246215	
	Lacquers	011-013	012-014	LTXxxx RAC® X (blue)			
	Oils	011-013	012-014				
	Enamels	011-015	012-014	FFLPxxx RAC® X (green)			
	Urethanes	013-015	012-014				
MEDIUM							
30-50% solids	Latex	015-019	014-020	269xxx Contractor™ Flat		RAC® X - 246215	
	Acrylics	015-019	014-020	163xxx (silver)			
	Multi-colours	024-031		FFLPxxx / LPxxx RAC® X (green)	 		
	Emulsions	017-021	018-020	PAAxxx RAC® x (blue)			
HEAVY							
50% + solids	Block fillers	023-031		163xxx (silver)		220251	
	Elastomerics	025-033				RAC® X - 246215	
	Intumescent	029-035		LPxxx RAC® X (green)			
	Spachtel	029-065					
	Mastics	041-047					
	Epoxies	031-043		HDAxxx RAC® X (brown)			
	Fibered	047-053					
	Asphalt	031-067		WAxxx RAC® X (blue)			
SPECIALTY							
Airless Striping	Road striping paint	031-039		LL5xxx RAC® V (yellow) or 163xxx		RAC® V - 243161	

**BREAKTHROUGH LOW PRESSURE SMARTTIP™ TECHNOLOGY,
ENGINEERED TO DELIVER THE INDUSTRY'S BEST FINISH!**

Featuring the patented Graco RAC® X Tip with **SMARTTIP™ TECHNOLOGY** and exclusive internal tip geometry which delivers the industry's best finish at the lowest airless spray pressure!

BREAKTHROUGH ATOMIZATION

- Ability to spray at low pressures without tails
- Better finish at all pressures – works well with hard to atomize Low VOC materials



BREAKTHROUGH RELIABILITY

- Longer tip life when used at low pressure
- Less stress and strain on the sprayer

BREAKTHROUGH VERSATILITY

- Longer hose lengths
- Smaller diameter hose

SMARTTIP™ TECHNOLOGY is designed to work with Graco's exclusive **SMARTCONTROL™ PRESSURE MANAGEMENT SYSTEM** to deliver a superior spray fan without pressure fluctuations – at all spraying pressures!



**LOW PRESSURE
TECHNOLOGY
EXTENDED TO
LARGER TIP SIZES!**

FINE FINISH LOW PRESSURE TIPS

FINE FINISH LOW PRESSURE TIPS



FFLPXXX

RAC® X - GREEN

Orifice	Flow Lpm	FAN WIDTH					
		5 cm	10 cm	15 cm	20 cm	25 cm	30 cm
.008	.26	108	208	308			
.010	.41	110	210	310	410	510	
.012	.59	112	212	312	412	512	
.014	.80		214	314	414	514	
.016	1.04					516	616



LPXXX

RAC® X - GREEN

Orifice	Flow Lpm	FAN WIDTH				
		15 cm	20 cm	25 cm	30 cm	35 cm
.013	.69	313				
.015	.91	315	415	515		
.017	1.17		417	517	617	
.019	1.47		419	519	619	
.021	1.79		421	521	621	
.023	2.15		423	523	623	723
.025	2.54		425	525	625	725
.027	2.96			527	627	
.029	3.42				629	729
.031	3.90				631	731

RAC® X - 246215



PROFESSIONAL AIRLESS TIPS



PAAXXX

RAC® X - BLUE

Orifice	Flow Lpm	FAN WIDTH							
		5 cm	10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	40 cm
.015	.90	115	215	315	415	515	615		
.017	1.15		217	317	417	517	617		817
.019	1.5		219	319	419	519	619		819
.021	1.8		221	321	421	521	621	721	821
.023	2.15			323	423	523	623	723	
.025	2.5		225	325	425	525	625		



LTXXXX

RAC® X - BLUE

Orifice	Flow Lpm	FAN WIDTH					
		10 cm	15 cm	20 cm	25 cm	30 cm	35 cm
.007	.20		207				
.009	.33	109	209	309	409	509	
.011	.49	111	211	311	411	511	611
.013	.69		213	313	413	513	613

RAC® X - 246215



HEAVY DUTY TIPS



HDAXXX

RAC® X - BROWN

Orifice	Flow Lpm	FAN WIDTH						
		10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	45 cm
.027	2.96	227	327	427	527	627		827
.029	3.42		329	429	529	629	729	
.031	3.90	231	331	431	531	631		831
.033	4.42			433	533	633		833
.035	4.98	235	335	435	535	635	735	835
.037	5.56				537	637		
.039	6.18			439	539	639		
.041	6.83			441	541	641		
.043	7.51			443	543	643		
.045	8.23			445	545	645		
.047	8.98				547	647		
.051	10.67			451	551	651		
.055	12.29			455	555	655		
.061	15.12				561	661		
.065	17.17					665		
.071	20.48					671		



WAXXXX

RAC® X - BLUE

Orifice	Flow Lpm	FAN WIDTH					
		10 cm	20 cm	30 cm	40 cm	50 cm	60 cm
.021	1.8						1221
.023	2.15						1223
.025	2.5						1225
.027	3.0						1227
.029	3.4						1229
.031	3.9						1231
.033	4.4						1233
.035	5.0						1235
.037	5.55						1237
.039	6.2						1239

FINE FINISH TIPS



163XXX

FLAT TIP RANGE, ODD

Orifice	Flow Lpm	FAN WIDTH								
		5 cm	10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	40 cm	45 cm
.007	.20	107	207	307						
.009	.33	109	209	309	409	509	609			
.011	.49	111	211	311	411	511	611	711		
.013	.69	113	213	313	413	513	613	713	813	
.015	.91	115	215	315	415	515	615	715	815	915
.017	1.17	117	217	317	417	517	617	717	817	917
.019	1.47	119	219	319	419	519	619	719	819	919
.021	1.79	121	221	321	421	521	621	721	821	921
.023	2.15		223	323	423	523	623	723	823	923
.025	2.54		225	325	425	525	625	725	825	925
.027	2.96		227	327	427	527	627	727	827	927
.029	3.42		229	329	429	529	627	729	829	929
.031	3.90		231	331	431	531	631	731	831	931



163XXX

FLAT TIP RANGE, EVEN

Orifice	Flow Lpm	FAN WIDTH								
		5 cm	10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	40 cm	45 cm
.008	.26	108	208		408					
.010	.41		210	310	410	510	610			
.012	.59		212	312	412	512	612	712		912
.014	.79		214	314	414	514	614	714	814	
.016	1.04		216	316	416	516	616	716	816	
.018	1.32			318	418	518	618	718	818	918
.020	1.63				420	520	620		820	
.022	1.97					522	622		822	922
.024	2.34				424		624		824	924
.026	2.75						626		826	
.032	4.16				432				832	



269XXX

FLAT TIP CONTRACTOR

Orifice	Flow Lpm	FAN WIDTH								
		10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	40 cm	45 cm	
.011	.50	211	311	411	511					
.013	.70	213	313	413	513	613				
.015	.90	215	315	415	515	615	715	815		
.017	1.15	217	317	417	517	617	717			
.019	1.5	219	319	419	519	619	719	819		
.021	1.8		321	421	521	621	721	821		
.023	2.15		323	423	523	623				
.025	2.5	225	325	425	525	625	725		925	
.027	3.0	227	327	427	527	627		827		
.029	3.4							829		
.031	3.9					531	631	831		
.035	5.0			435		635				

FLAT TIPS

HEAVY DUTY TIPS



163XXX

FLAT TIP HEAVY DUTY RANGE

Orifice	Flow Lpm	FAN WIDTH								
		5 cm	10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	40 cm	45 cm
.033	4.42				433		633	733	833	933
.035	4.98		235	335	435	535	635	735	835	935
.037	5.56						637	737		
.039	6.18	139	239	339	439	539	639		839	939
.041	6.83			341	441	541	641		841	
.043	7.51				443	543	643	743	843	943
.045	8.23			345	445	545	645		845	
.047	8.98			347		547	647		847	
.049	9.76				449		649	749	849	
.051	10.67			351	451	551	651	751		
.053	11.41							753		
.055	12.29				455	555	655	755	855	
.057	13.20			357	457	557	657	757		
.059	14.14				459					
.061	15.12				461	561	661	761	861	
.063	16.13				463	563	663	763		
.065	17.17				465	565	665		865	
.067	18.24				467	567	667	767	867	
.069	19.34						669			
.071	20.48				471	571	671	771	871	
.077	24.00				477					
.081	26.66				481					

220251



AIRLESS STRIPING TIPS



LL5XXX

RAC® V - YELLOW

Line Width	Flow Lpm	FAN WIDTH			
		5 cm	10 cm	15 cm	30 cm
.013	.69	213			
.015	.91	215	315		
.017	1.17	217	317	417	
.019	1.47	219	319	419	
.021	1.79		321	421	621
.023	2.15		323	423	623
.025	2.54		325	425	625
.027	2.96		327	427	627
.029	3.42		329	429	629
.031	3.90		331	431	631
.033	4.42		333		
.035	4.98		335	435	635
.039	6.18		339	439	639
.043	7.51		343	443	643
.055	12.29		355		

RAC® V - 243161



CLEANING TIPS



805XXX

QD WASHER TIPS

Orifice	FAN ANGLE				SET OF 4 TIPS (0°-15°- 25°- 40°)
	0°	15°	25°	40°	
2.7	805591	805592	805593	805594	-
3.0	805535	805536	805537	805538	244768
3.5	805539	805540	805541	805542	244769
3.7	805595	805596	805597	805598	-
4.0	805543	805544	805545	805546	800708
4.5	805547	805548	805549	805550	800709
5.0	805551	805552	805553	805554	800710
5.5	805555	805556	805557	805558	-
Chemical Tip					805634



805XXX

SAND WASHER TIPS

Orifice	FAN ANGLE			
	0°	15°	25°	40°
3.0	-	805305	-	-
4.0	805312	805313	-	805315
4.5	805316	805317	805318	805319
5.0	805320	805321	-	-
5.5	805324	805325	-	-
5.8	805328	805329	805330	805331



198012

ROTATING PRESSURE WASHER TIP - 275 BAR

198014

ROTATING PRESSURE WASHER TIP - 360 BAR

198013

OSCILLATING PRESSURE WASHER TIP - 345 BAR



244766

SANDBLASTING KIT - 380 BAR

5
years

gear box
electric motor

2
years

electrical parts

1
year

hard parts

* handhelds excluded, warranty limited to one year. See full warranty details on contractorclub.eu

WARRANTY

WARRANTY

5 YEARS

2 YEARS

UNITS	5 YEARS	2 YEARS	
	<ul style="list-style-type: none"> ■ CART 	<ul style="list-style-type: none"> ■ CONTROL BOX & COMPONENTS 	
	<ul style="list-style-type: none"> ■ DRIVE SYSTEM 	<ul style="list-style-type: none"> ■ ELECTRIC COMPONENTS 	
	<ul style="list-style-type: none"> ■ ELECTRIC MOTORS 	<ul style="list-style-type: none"> ■ TURBINES 	
	<ul style="list-style-type: none"> ■ HYDRAULIC MOTOR HARD PARTS 	<ul style="list-style-type: none"> ■ CLUTCH 	
	<ul style="list-style-type: none"> ■ BELT DRIVEN WATER PUMP 	<ul style="list-style-type: none"> ■ PUMP LOWER HARD PARTS 	
	<ul style="list-style-type: none"> ■ DIRECT DRIVE WATER PUMP* 	<ul style="list-style-type: none"> ■ THERMAL RELIEF VALVE 	
		<ul style="list-style-type: none"> ■ UNLOADER VALVE 	
		<ul style="list-style-type: none"> ■ GX 	
ACCESSORIES			
WEAR ITEMS			
OTHER WARRANTIES			

* For units sold as of 2019.

WARRANTY

1 YEAR		90 DAYS
<ul style="list-style-type: none"> ■ ULTRA AIRLESS HANDHELD & ULTRAMAX AIRLESS HANDHELD 	<ul style="list-style-type: none"> ■ SANISPRAY 	
<ul style="list-style-type: none"> ■ FLUID SECTION 		
<ul style="list-style-type: none"> ■ HONDA GC ENGINE 		
<ul style="list-style-type: none"> ■ HYDRAULIC GROUP 		
<ul style="list-style-type: none"> ■ GAS GROUP 		
<ul style="list-style-type: none"> ■ POWERFILL 		
<ul style="list-style-type: none"> ■ GUN BODIES & ATTACHMENTS 		
<p>Graco does not cover wear items: tips, filters, sleeves, rods, packings, repair kits, seats, balls, brushes, dies,...</p>		
<p>Components not manufactured by Graco are covered by their own warranties: gasoline engines, hoses, water pumps and batteries. All Graco products are covered by a one year warranty period against manufacturing defects. Consult our “Blue Book” (Form No. B0170) for complete detailed information on Graco’s policies (warranty, freight, returns, etc.).</p>		

SALES BOOK Graco's selling tool!

ANYWHERE, ANYTIME, OFFLINE



**DOWNLOAD
SALES BOOK
NOW!**

-  **IMAGES & VIDEOS**
-  **PRESENTATIONS**
-  **COMMERCIAL & TECHNICAL LITERATURE**

SUPPORT MATERIAL

Tailor made support tools at your disposal to present,
use and communicate on Graco's products.

	CODE	BG	CS	DA	DE	ENEU	EL	ES	ET	FI
	Language	Bulgarian	Czech	Danish	German	English	Greek	Spanish	Estonian	Finnish
DESCRIPTION	PART N°									
Ultra Airless Handheld	344104	■	■	■	■	■		■	■	■
HVLP	300744		■	■	■	■		■		
FinishPro II Pc Pro	320599		■	■	■	■		■	■	■
GX	300735		■	■	■	■		■	■	■
Concrete Injection Systems	300736				■	■		■		
Classic PC	300733		■	■	■	■		■	■	
ST Max II PC Pro	320580		■	■	■	■		■	■	■
Ultra Max II	300713		■	■	■	■	■	■		
°C-Max	300696			■	■	■		■		■
Gmax II HD 3-IN-1 Standard	300718			■	■	■		■		■
Gmax II HD 3-IN-1 ProContractor	300719			■	■	■		■		■
Gmax II HD 3-IN-1 Ironman	300769			■	■	■		■		■
DutyMax HD 3-IN-1 Standard	300722				■	■		■		
DutyMax HD 3-IN-1 ProContractor	300723				■	■		■		
GH BIG RIG	320593				■	■		■		
Mark HD 3-IN-1	300716		■	■	■	■		■	■	■
T-Max	320596		■	■	■	■		■		■
RTX	300661		■	■	■	■		■		■
FastFinish	300760			■	■	■		■		■
APX	300743				■	■				■
PowerFill	300795		■		■	■	■		■	■
SaniSpray HP	300788				■	■	■			■
G-Force II	320582			■	■	■		■		■
Pavement Maintenance Solutions	300720				■	■	■			■
GrindLazer	341251				■	■	■			■
Airless Accessories	300672			■	■	■	■	■		■
Airless Tips	300666		■	■	■	■		■		■
Ultra Airless Handheld Quick Operator Guide (QOG)	16T305					■				
Ultra Airless HandHeld Corded QOG	300759					■				
HVLP TurboForce II QOG	328034					■				
FinishPro II 395 PC QOG	328035					■				
GX QOG	300752					■				
Classic 390PC QOG	300749					■				
Classic S 395PC-495PC QOG	300750					■				
ST Max II PC Pro QOG	328007					■				
Ultra Max II ProC. & Mark Max ProC. QOG	328006					■				
GMax II Quick QOG	328009				■	■		■		
DutyMax QOG	300751					■				
T-Max 506/657 QOG	328033					■				
APX QOG	300748					■				
Quick Trouble Shooter	314980		■	■	■	■	■	■		■
Service Booklet	300663			■	■	■	■			
Maintenance Sticker (6)	ZZXXXX			ZZ2005	ZZ1674	ZZ1672		ZZ1677		



OUR PROMISE TO YOU

Since 1926, **innovation**, **quality** and **A+ service** have been at the centre of Graco.

Experience innovation

Our focus on innovation results in products and equipment that lead the industry with technologically-advanced features, pioneering design, high performance and unparalleled reliability. In short, innovation is how you get better products!

Building quality

You are investing in high-quality products built to last for years of reliable service. Moreover, we partner with our customers to better understand how you're deploying our products in the field, then use your experiences to improve performance and durability.



A+ service, every time

You'll see A+ Service in action when you contact any of our support services options no matter where you are in the world. We'll listen to your situation and work methodically to resolve it as quickly as we can. We are guided by a mindset of integrity and a customer service view centred on collaboration and relationships, not transactions.



We are here to answer questions and help address your needs.
www.graco.com/contact

Graco is ISO 9001 certified.

©2012 Graco Distribution BV 09/22 Electronic Version only.

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

All other brand names or marks are used for identification purposes and are trademarks of their respective owners. For more information on Graco's intellectual property, see www.graco.com/patent or www.graco.com/trademarks.